

DEPKS\_SERVER Package  
**Extensible Hook Details**  
Release 14.7.0.0.0  
**Part No.F72109-01**

November 2022

Oracle Financial Services Software Limited

Oracle Park

Off western Express Highway  
Goregaon(East)  
Mumbai,Maharashtra 400 063  
India

Worldwide Inquiries:  
Phone: +91 22 6718 3000  
Fax:+91 22 6718 3001  
[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © 2007, 2022, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

## Contents

1. FN_JRNL_AUTH/11/1	.....	1
2. FN_JRNL_BATCH_AUTH/13/1	.....	1
3. FN_JRNL_DELETE/8/1	.....	2
4. FN_JRNL_DELETE/8/2	.....	2
5. FN_MOFF_AUTH/11/1	.....	3
6. FN_MOFF_BATCH_AUTH/13/1	.....	3
7. FN_MULTI_JRNL_AUTH/9/1	.....	4
8. FN_MULTI_JRNL_AUTH/9/2	.....	4
9. FN_MULTI_JRNL_BATCH_AUTH/8/1	.....	4
10. FN_MULTI_JRNL_BATCH_AUTH/8/2	.....	5
11. FN_MULTI_JRNL_BOOK/6/1	.....	5
12. FN_MULTI_JRNL_BOOK/6/2	.....	6
13. FN_MULTI_JRNL_BOOK/0/1	.....	6

Parameter	Description
Function	FN_JRNL_AUTH
No of Parameters	11
Function Call Id	1
Cluster/Custom Function Name	FN_JRNL_AUTH
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(BRN) I_Tb_Cluster_Data(PPDT)
Received from Extensible Layer	None
Hook Description	Hook is provided in FN_JRNL_AUTH().
Description	Hook is provided in FN_JRNL_AUTH(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	14638870

Parameter	Description
Function	FN_JRNL_BATCH_AUTH
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_JRNL_BATCH_AUTH
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(BRN) I_Tb_Cluster_Data(PPDT)
Received from Extensible Layer	None
Hook Description	Hook is provided in FN_JRNL_BATCH_AUTH().
Description	Hook is provided in FN_JRNL_BATCH_AUTH(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	14638870

Parameter	Description
Function	FN_JRNL_DELETE
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_JRNL_DELETE
Additional parameters	None

Sent to Extensible layer	None
Received from Extensible Layer	None
Hook Description	Hooks provided so that when the Journal batch is deleted from the Journal batch browser the custom datastores is to be delete for the batch no and also the overdraft ticket raise for ECA has to be updated as well
Description	<p>Hooks provided so that when the Journal batch is deleted from the Journal batch browser the custom datastores is to be delete for the batch no and also the overdraft ticket raise for ECA has to be updated as well</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24604217

Parameter	Description
Function	FN_JRNL_DELETE
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_JRNL_DELETE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible Layer	None
Hook Description	Hooks provided so that when the Journal batch is deleted from the Journal batch browser the custom datastores is to be delete for the batch no and also the overdraft ticket raise for ECA has to be updated as well
Description	<p>Hooks provided so that when the Journal batch is deleted from the Journal batch browser the custom datastores is to be delete for the batch no and also the overdraft ticket raise for ECA has to be updated as well</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24604217

Parameter	Description
Function	FN_MOFF_AUTH
No of Parameters	11
Function Call Id	1
Cluster/Custom Function Name	FN_MOFF_AUTH
Additional parameters	I_Tb_Cluster_Data

Sent to Extensible layer	I_Tb_Cluster_Data(BRN) I_Tb_Cluster_Data(APPDT)
Received from Extensible Layer	None
Hook Description	Hook is provided in FN_MOFF_AUTH().
Description	Hook is provided in FN_MOFF_AUTH(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	14638870

Parameter	Description
Function	FN_MOFF_BATCH_AUTH
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_MOFF_BATCH_AUTH
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(BRN) I_Tb_Cluster_Data(APPDT)
Received from Extensible Layer	None
Hook Description	Hook is provided in FN_MOFF_BATCH_AUTH().
Description	Hook is provided in FN_MOFF_BATCH_AUTH(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	14638870

Parameter	Description
Function	FN_MULTI_JRNL_AUTH
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_MULTI_JRNL_AUTH
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible Layer	None
Hook Description	Hook is provided in FN_MULTI_JRNL_AUTH().

Description	<p>Hook is provided in FN_MULTI_JRNL_AUTH().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	14832019

Parameter	Description
Function	FN_MULTI_JRNL_AUTH
No of Parameters	9
Function Call Id	2
Cluster/Custom Function Name	FN_POST_MULTI_JRNL_AUTH
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible Layer	None
Hook Description	Hook is provided in FN_MULTI_JRNL_AUTH().
Description	<p>Hook is provided in FN_MULTI_JRNL_AUTH().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	14832019

Parameter	Description
Function	FN_MULTI_JRNL_BATCH_AUTH
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_MULTI_JRNL_BATCH_AUTH
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible Layer	None
Hook Description	Hook is provided in FN_MULTI_JRNL_BATCH_AUTH().
Description	<p>Hook is provided in FN_MULTI_JRNL_BATCH_AUTH().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	14832019

Parameter	Description
Function	FN_MULTI_JRNL_BATCH_AUTH
No of Parameters	8

Function Call Id	2
Cluster/Custom Function Name	FN_POST_MULTI_JRNL_BATCH_AUTH
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible Layer	None
Hook Description	Hook is provided in FN_MULTI_JRNL_BATCH_AUTH().
Description	<p>Hook is provided in FN_MULTI_JRNL_BATCH_AUTH().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	14832019
<b>Parameter</b>	<b>Description</b>
Function	FN_MULTI_JRNL_BOOK
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_MULTI_JRNL_BOOK
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible Layer	None
Hook Description	Hooks provided to add few new fields in the detail multiple entry screen.
Description	<p>Hooks provided to add few new fields in the detail multiple entry screen.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23664325

<b>Parameter</b>	<b>Description</b>
Function	FN_MULTI_JRNL_BOOK
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_POST_MULTI_JRNL_BOOK
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible Layer	None



Hook Description	Hooks provided to add few new fields in the detail multiple entry screen.
Description	<p>Hooks provided to add few new fields in the detail multiple entry screen.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23664325

Parameter	Description
Function	FN_MULTI_JRNL_BOOK
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_MULTI_JRNL_BOOK
Additional parameters	
Sent to Extensible layer	
Received from Extensible Layer	
Hook Description	Hook has been provided in function fn_multi_jrnl_book in package depks_server.
Description	<p>Hook has been provided in function fn_multi_jrnl_book in package depks_server.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	28665074