

STPKS\_PROFIT\_POOL Package

**Extensible Hook Details**

Release 14.7.2.0.0

**Part No.F87755-01**

November 2023

Oracle Financial Services Software Limited

Oracle Park

Off western Express Highway  
Goregaon(East)  
Mumbai,Maharashtra 400 063  
India

Worldwide Inquiries:  
Phone: +91 22 6718 3000  
Fax:+91 22 6718 3001  
[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © 2007, 2023, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

## Contents

1. FN_ACCOUNT_INCLUSION/10/1	1
2. FN_ACCOUNT_INCLUSION/10/2	2
3. FN_APPLY_PROFIT/14/1	3
4. FN_APPLY_PROFIT/14/2	3
5. FN_APPLY_PROFIT/14/4	4
6. FN_BROKEN_PARTIAL_TD/6/1	5
7. FN_CALC_PROFIT/14/1	5
8. FN_ESTIMATE_INVESTMENT/15/1	5
9. FN_ESTIMATE_INVESTMENT/15/2	6
10. FN_ESTIMATE_INVESTMENT/15/3	6
11. FN_ESTIMATE_INVESTMENT/15/4	7
12. FN_ESTIMATE_INVESTMENT/15/5	7
13. FN_ESTIMATE_INVESTMENT/15/6	8
14. FN_ESTIMATE_INVESTMENT/15/7	9
15. FN_ESTIMATE_INVESTMENT/15/8	9
16. FN_GET_PROFIT_RATE/6/1	10
17. FN_GT_APPLICABLE_PRE_RATE/11/1	10
18. FN_GT_APPLICABLE_PRE_RATE/11/2	10
19. FN_PS_EXCLN_TXN/4/1	11
20. FN_RECALC_PROFIT/22/1	12
21. FN_UPD_ALLOCATED/20/1	12
22. FN_UPD_ALLOCATED/20/2	13
23. FN_UPD_UDE/8/1	13
24. FN_UPD_UDE/8/2	14
25. PR_BROKEN_TD/6/1	14

Parameter	Description
Function	FN_ACCOUNT_INCLUSION
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_ACCOUNT_INCLUSION
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	<p>p_Tb_Cluster_Data('l_anrate_aft_mufee_adj') := l_anrate_aft_mufee_adj;</p> <p>p_Tb_Cluster_Data('l_profit_aft_adjmod') := l_profit_aft_adjmod;</p> <p>p_Tb_Cluster_Data('l_ac_lcy_bal') := l_ac_lcy_bal;</p> <p>p_Tb_Cluster_Data('l_anrate_aft_pea_adj') := l_anrate_aft_pea_adj;</p> <p>p_Tb_Cluster_Data('l_profit_aft_adjpea') := l_profit_aft_adjpea;</p> <p>p_Tb_Cluster_Data('l_profit_aft_adhoc_adj') := l_profit_aft_adhoc_adj;</p> <p>p_Tb_Cluster_Data('l_adhoc_adj_profit_amt') := l_adhoc_adj_profit_amt;</p> <p>p_Tb_Cluster_Data('l_annualized_rate') := l_annualized_rate;</p> <p>p_Tb_Cluster_Data('l_profit_on_final_adjrate') := NVL(l_profit_on_final_adjrate,0); --[FCUBS_12.4_DEV_PDM Final Profit]</p> <p>p_Tb_Cluster_Data('l_profit') := l_profit;</p> <p>p_Tb_Cluster_Data('l_months') := l_months;</p>
Received from Extensible Layer	<p>l_anrate_aft_mufee_adj := p_Tb_Cluster_Data('l_anrate_aft_mufee_adj');</p> <p>l_profit_aft_adjmod := p_Tb_Cluster_Data('l_profit_aft_adjmod');</p> <p>l_ac_lcy_bal := p_Tb_Cluster_Data('l_ac_lcy_bal');</p> <p>l_anrate_aft_pea_adj := p_Tb_Cluster_Data('l_anrate_aft_pea_adj');</p> <p>l_profit_aft_adjpea := p_Tb_Cluster_Data('l_profit_aft_adjpea');</p> <p>l_profit_aft_adhoc_adj := p_Tb_Cluster_Data('l_profit_aft_adhoc_adj');</p> <p>l_adhoc_adj_profit_amt := p_Tb_Cluster_Data('l_adhoc_adj_profit_amt');</p> <p>l_annualized_rate := p_Tb_Cluster_Data('l_annualized_rate');</p> <p>l_profit_on_final_adjrate := p_Tb_Cluster_Data('l_profit_on_final_adjrate');</p> <p>l_profit := p_Tb_Cluster_Data('l_profit');</p> <p>l_months := p_Tb_Cluster_Data('l_months');</p>
Hook Description	Extensibility hook GIVEN
Description	<p>Extensibility hook GIVEN</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_ACCOUNT_INCLUSION
No of Parameters	10
Function Call Id	2

Cluster/Custom Function Name	FN_ACCOUNT_INCLUSION
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	p_Tb_Cluster_Data('L_LCY_BAL') := L_LCY_BAL; p_Tb_Cluster_Data('l_adhoc_adj_amt') := l_adhoc_adj_amt; p_Tb_Cluster_Data('l_mudarib_pctfee') := l_mudarib_pctfee; p_Tb_Cluster_Data('l_profit') := l_profit; p_Tb_Cluster_Data('l_cumulative_wts') := l_cumulative_wts; p_Tb_Cluster_Data('l_ac_lcy_bal') := l_ac_lcy_bal;
Received from Extensible Layer	l_adhoc_adj_amt := p_Tb_Cluster_Data('l_adhoc_adj_amt'); l_mudarib_pctfee := p_Tb_Cluster_Data('l_mudarib_pctfee'); l_profit := p_Tb_Cluster_Data('l_profit'); l_cumulative_wts := p_Tb_Cluster_Data('l_cumulative_wts'); l_ac_lcy_bal := p_Tb_Cluster_Data('l_ac_lcy_bal'); L_LCY_BAL := p_Tb_Cluster_Data('L_LCY_BAL');
Hook Description	Extensibility hook GIVEN
Description	Extensibility hook GIVEN  All parameters received by kernel function are passed to the cluster hook.  Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".  The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.  The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17303183

Parameter	Description
Function	FN_APPLY_PROFIT
No of Parameters	14
Function Call Id	1
Cluster/Custom Function Name	FN_APPLY_PROFIT
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	p_Tb_Cluster_Data('l_pea') := l_pea; p_Tb_Cluster_Data('effective_dep_invest') := each_row.effective_dep_invest; p_Tb_Cluster_Data('each_row.cust_ac_no') := each_row.cust_ac_no; p_Tb_Cluster_Data('each_row.branch_code') := each_row.branch_code; p_Tb_Cluster_Data('each_rec.td_type') := each_rec.td_type; p_Tb_Cluster_Data('L_ANNUALIZED_RATE') := L_ANNUALIZED_RATE;
Received from Extensible Layer	l_pea := p_Tb_Cluster_Data('l_pea'); L_ANNUALIZED_RATE := p_Tb_Cluster_Data('L_ANNUALIZED_RATE');
Hook Description	Extensibility hook GIVEN.

Description	<p>Extensibility hook GIVEN.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_APPLY_PROFIT
No of Parameters	14
Function Call Id	2
Cluster/Custom Function Name	FN_APPLY_PROFIT
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	<p>p_Tb_Cluster_Data('l_pea') := l_pea;</p> <p>p_Tb_Cluster_Data('lr_pea') := lr_pea;</p> <p>p_Tb_Cluster_Data('each_row.cust_ac_no') := each_row.cust_ac_no;</p> <p>p_Tb_Cluster_Data('each_row.branch_code') := each_row.branch_code;</p> <p>p_Tb_Cluster_Data('each_rec.td_type') := each_rec.td_type;</p> <p>p_Tb_Cluster_Data('L_ANNUALIZED_RATE') := L_ANNUALIZED_RATE;</p>
Received from Extensible Layer	<p>l_pea := p_Tb_Cluster_Data('l_pea');</p> <p>lr_pea := p_Tb_Cluster_Data('lr_pea');</p> <p>L_ANNUALIZED_RATE := p_Tb_Cluster_Data('L_ANNUALIZED_RATE');</p>
Hook Description	Extensibility hook GIVEN.
Description	<p>Extensibility hook GIVEN.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_APPLY_PROFIT
No of Parameters	14
Function Call Id	4
Cluster/Custom Function Name	FN_APPLY_PROFIT
Additional parameters	

Sent to Extensible layer	<p> p_Tb_Cluster_Data('l_mudarib_lcyfee') := l_mudarib_lcyfee;  p_Tb_Cluster_Data('l_mudarib_adjlcycfee') := l_mudarib_adjlcycfee;  p_Tb_Cluster_Data('l_ann_rate_aft_adjmod') := l_ann_rate_aft_adjmod;  p_Tb_Cluster_Data('l_ann_rate_aft_adjpea') := l_ann_rate_aft_adjpea;  p_Tb_Cluster_Data('l_round_profit') := l_round_profit;  p_Tb_Cluster_Data('lr_profit_aft_adjmod') := lr_profit_aft_adjmod;  p_Tb_Cluster_Data('lr_pea') := lr_pea;  p_Tb_Cluster_Data('lr_profit_aft_adjpea') := lr_profit_aft_adjpea;  p_Tb_Cluster_Data('lr_proft_aft_adjadhoc') := lr_proft_aft_adjadhoc;  p_Tb_Cluster_Data('each_row.cust_ac_no') := each_row.cust_ac_no;  p_Tb_Cluster_Data('each_row.branch_code') := each_row.branch_code;  p_Tb_Cluster_Data('each_rec.td_type') := each_rec.td_type;  p_Tb_Cluster_Data('L_ANNUALIZED_RATE') := L_ANNUALIZED_RATE; </p>
Received from Extensible Layer	<p> l_mudarib_lcyfee := p_Tb_Cluster_Data('l_mudarib_lcyfee');  l_mudarib_adjlcycfee := p_Tb_Cluster_Data('l_mudarib_adjlcycfee');  l_ann_rate_aft_adjmod := p_Tb_Cluster_Data('l_ann_rate_aft_adjmod');  l_ann_rate_aft_adjpea := p_Tb_Cluster_Data('l_ann_rate_aft_adjpea');  l_round_profit := p_Tb_Cluster_Data('l_round_profit');  lr_profit_aft_adjmod := p_Tb_Cluster_Data('lr_profit_aft_adjmod');  lr_pea := p_Tb_Cluster_Data('lr_pea');  lr_profit_aft_adjpea := p_Tb_Cluster_Data('lr_profit_aft_adjpea');  lr_proft_aft_adjadhoc := p_Tb_Cluster_Data('lr_proft_aft_adjadhoc');  L_ANNUALIZED_RATE := p_Tb_Cluster_Data('L_ANNUALIZED_RATE'); </p>
Hook Description	Extensibility hook GIVEN.
Description	<p>Extensibility hook GIVEN.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_BROKEN_PARTIAL_TD
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_BROKEN_PARTIAL_TD
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Hooks Provided

Description	<p>Hooks Provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	25900445

Parameter	Description
Function	FN_CALC_PROFIT
No of Parameters	14
Function Call Id	1
Cluster/Custom Function Name	FN_CALC_PROFIT
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Extensibility hook GIVEN.
Description	<p>Extensibility hook GIVEN.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_ESTIMATE_INVESTMENT
No of Parameters	15
Function Call Id	1
Cluster/Custom Function Name	FN_ESTIMATE_INVESTMENT
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Extensibility hook GIVEN.
Description	<p>Extensibility hook GIVEN.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183



Parameter	Description
Function	FN_ESTIMATE_INVESTMENT
No of Parameters	15
Function Call Id	2
Cluster/Custom Function Name	FN_ESTIMATE_INVESTMENT
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Extensibility hook GIVEN.
Description	Extensibility hook GIVEN. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17303183

Parameter	Description
Function	FN_ESTIMATE_INVESTMENT
No of Parameters	15
Function Call Id	3
Cluster/Custom Function Name	FN_ESTIMATE_INVESTMENT
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Extensibility hook GIVEN.
Description	Extensibility hook GIVEN. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17303183

Parameter	Description
Function	FN_ESTIMATE_INVESTMENT
No of Parameters	15
Function Call Id	4
Cluster/Custom Function Name	FN_ESTIMATE_INVESTMENT

Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Extensibility hook GIVEN.
Description	Extensibility hook GIVEN. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17303183

Parameter	Description
Function	FN_ESTIMATE_INVESTMENT
No of Parameters	15
Function Call Id	5
Cluster/Custom Function Name	FN_ESTIMATE_INVESTMENT
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	p_Tb_Cluster_Data('l_mudarib_lcyfee') := l_mudarib_lcyfee; p_Tb_Cluster_Data('l_mudarib_adjlcycfee') := l_mudarib_adjlcycfee;
Received from Extensible Layer	l_mudarib_lcyfee := p_Tb_Cluster_Data('l_mudarib_lcyfee'); l_mudarib_adjlcycfee := p_Tb_Cluster_Data('l_mudarib_adjlcycfee');
Hook Description	Extensibility hook GIVEN.
Description	Extensibility hook GIVEN. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17303183

Parameter	Description
Function	FN_ESTIMATE_INVESTMENT
No of Parameters	15
Function Call Id	6
Cluster/Custom Function Name	FN_ESTIMATE_INVESTMENT
Additional parameters	l_fn_call_id, l_tb_cluster_data

Sent to Extensible layer	<p>p_Tb_Cluster_Data('l_profit_aft_adjmud') := l_profit_aft_adjmud;</p> <p>p_Tb_Cluster_Data('l_mudarib_pctfee') := l_mudarib_pctfee;</p> <p>p_Tb_Cluster_Data('l_mudarib_lcyfee') := l_mudarib_lcyfee;</p> <p>p_Tb_Cluster_Data('l_mudarib_adjlcyfee') := l_mudarib_adjlcyfee;</p> <p>p_Tb_Cluster_Data('l_pea_lcy') := l_pea_lcy;</p> <p>p_Tb_Cluster_Data('l_profit_aft_adjpea') := l_profit_aft_adjpea;</p> <p>p_Tb_Cluster_Data('l_profit_aft_adjadhoc') := l_profit_aft_adjadhoc;</p> <p>p_Tb_Cluster_Data('l_final_profit_on_annual_rate') := NVL(l_final_profit_on_annual_rate,0);</p>
Received from Extensible Layer	<p>l_profit_aft_adjmud := p_Tb_Cluster_Data('l_profit_aft_adjmud');</p> <p>l_mudarib_pctfee := p_Tb_Cluster_Data('l_mudarib_pctfee');</p> <p>l_mudarib_lcyfee := p_Tb_Cluster_Data('l_mudarib_lcyfee');</p> <p>l_mudarib_adjlcyfee := p_Tb_Cluster_Data('l_mudarib_adjlcyfee');</p> <p>l_pea_lcy := p_Tb_Cluster_Data('l_pea_lcy');</p> <p>l_profit_aft_adjpea := p_Tb_Cluster_Data('l_profit_aft_adjpea');</p> <p>l_profit_aft_adjadhoc := p_Tb_Cluster_Data('l_profit_aft_adjadhoc');</p> <p>l_final_profit_on_annual_rate := p_Tb_Cluster_Data('l_final_profit_on_annual_rate');</p>
Hook Description	Extensibility hook GIVEN.
Description	<p>Extensibility hook GIVEN.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_ESTIMATE_INVESTMENT
No of Parameters	15
Function Call Id	7
Cluster/Custom Function Name	FN_ESTIMATE_INVESTMENT
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	<p>p_Tb_Cluster_Data('l_cumulative_wts') := l_cumulative_wts;</p> <p>p_Tb_Cluster_Data('l_eff_invest') := l_eff_invest;</p> <p>p_Tb_Cluster_Data('l_cust_details(rec).ac_bal_lcy') := l_cust_details(rec).ac_bal_lcy;</p> <p>p_Tb_Cluster_Data('l_mudarib_pctfee') := l_mudarib_pctfee;</p> <p>p_Tb_Cluster_Data('l_pea_pct') := l_pea_pct;</p> <p>p_Tb_Cluster_Data('l_pea_lcy') := l_pea_lcy;</p> <p>p_Tb_Cluster_Data('l_pea_adjlcy') := l_pea_adjlcy;</p> <p>p_Tb_Cluster_Data('l_profit_aft_adjpea') := l_profit_aft_adjpea;</p> <p>p_Tb_Cluster_Data('l_profit_aft_adjadhoc') := l_profit_aft_adjadhoc;</p> <p>p_Tb_Cluster_Data('l_final_profit_on_annual_rate') := NVL(l_final_profit_on_annual_rate,0);</p>

Received from Extensible Layer	<pre> l_cumulative_wts := p_Tb_Cluster_Data('l_cumulative_wts'); l_eff_invest := p_Tb_Cluster_Data('l_eff_invest'); l_cust_details(rec).ac_bal_lcy := p_Tb_Cluster_Data('l_cust_details(rec).ac_bal_lcy'); l_mudarib_pctfee := p_Tb_Cluster_Data('l_mudarib_pctfee'); l_pea_pct := p_Tb_Cluster_Data('l_pea_pct'); l_pea_lcy := p_Tb_Cluster_Data('l_pea_lcy'); l_pea_adjlcy := p_Tb_Cluster_Data('l_pea_adjlcy'); l_profit_aft_adjpea := p_Tb_Cluster_Data('l_profit_aft_adjpea'); l_profit_aft_adjadhoc := p_Tb_Cluster_Data('l_profit_aft_adjadhoc'); l_final_profit_on_annual_rate := p_Tb_Cluster_Data('l_final_profit_on_annual_rate'); </pre>
Hook Description	Extensibility hook GIVEN.
Description	<p>Extensibility hook GIVEN.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_ESTIMATE_INVESTMENT
No of Parameters	15
Function Call Id	8
Cluster/Custom Function Name	FN_ESTIMATE_INVESTMENT
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Extensibility hook GIVEN.
Description	<p>Extensibility hook GIVEN.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_GET_PROFIT_RATE
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_GET_PROFIT_RATE
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE

Received from Extensible Layer	NONE
Hook Description	Extensibility hook GIVEN.
Description	Extensibility hook GIVEN. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17303183

Parameter	Description
Function	FN_GT_APPLICABLE_PRE_RATE
No of Parameters	11
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_GT_APPLICABLE_PRE_RATE
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Hooks Provided
Description	Hooks Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	27343029

Parameter	Description
Function	FN_GT_APPLICABLE_PRE_RATE
No of Parameters	11
Function Call Id	2
Cluster/Custom Function Name	FN_POST_GT_APPLICABLE_PRE_RATE
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Hooks Provided
Description	Hooks Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	27343029

Parameter	Description
Function	FN_PS_EXCLN_TXN
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_PS_EXCLN_TXN
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Hook provided as requested in fn_PS_excln_txn retroed from 19360786
Description	Hook provided as requested in fn_PS_excln_txn retroed from 19360786 All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19465362

Parameter	Description
Function	FN_RECALC_PROFIT
No of Parameters	22
Function Call Id	1
Cluster/Custom Function Name	FN_RECALC_PROFIT
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	p_Tb_Cluster_Data('l_adhoc_adj_profit_amt') := l_adhoc_adj_profit_amt; p_Tb_Cluster_Data('each_row.ac_bal_lcy') := each_row.ac_bal_lcy; p_Tb_Cluster_Data('L_TO_DATE') := L_TO_DATE; p_Tb_Cluster_Data('L_FROM_DATE') := L_FROM_DATE; p_Tb_Cluster_Data('each_rec.annualized_adjrate') := nvl(each_rec.annualized_adjrate,0); p_Tb_Cluster_Data('l_anrate_aft_irr_adj') := l_anrate_aft_irr_adj; p_Tb_Cluster_Data('l_adjrate') := l_adjrate; p_Tb_Cluster_Data('each_row.effective_dep_invest') := each_row.effective_dep_invest; p_Tb_Cluster_Data('l_profit_aft_adhoc_adj'):=l_profit_aft_adhoc_adj; p_Tb_Cluster_Data('l_mudarib_adjlcyfee'):=l_mudarib_adjlcyfee; p_Tb_Cluster_Data('l_days_for_year'):=l_days_for_year; p_Tb_Cluster_Data('l_days_for_period'):=l_days_for_period; p_Tb_Cluster_Data('l_profit_on_final_adjrate'):=nvl(l_profit_on_final_adjrate,0);

Received from Extensible Layer	<pre> l_adhoc_adj_profit_amt := p_Tb_Cluster_Data('l_adhoc_adj_profit_amt'); l_anrate_aft_irr_adj := p_Tb_Cluster_Data('l_anrate_aft_irr_adj'); l_adjrate := p_Tb_Cluster_Data('l_adjrate'); each_row.effective_dep_invest := p_Tb_Cluster_Data('each_row.effective_dep_invest'); l_profit_aft_adhoc_adj := p_Tb_Cluster_Data('l_profit_aft_adhoc_adj'); l_mudarib_adjlcycfee := p_Tb_Cluster_Data('l_mudarib_adjlcycfee'); l_days_for_year := p_Tb_Cluster_Data('l_days_for_year'); l_days_for_period := p_Tb_Cluster_Data('l_days_for_period'); l_profit_on_final_adjrate := p_Tb_Cluster_Data('l_profit_on_final_adjrate');</pre>
Hook Description	Extensibility hook GIVEN.
Description	<p>Extensibility hook GIVEN.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_UPD_ALLOCATED
No of Parameters	20
Function Call Id	1
Cluster/Custom Function Name	FN_UPD_ALLOCATED
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Extensibility hook GIVEN
Description	<p>Extensibility hook GIVEN</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183
Parameter	Description
Function	FN_UPD_ALLOCATED
No of Parameters	20
Function Call Id	2
Cluster/Custom Function Name	FN_UPD_ALLOCATED
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE

Received from Extensible Layer	NONE
Hook Description	Extensibility hook GIVEN
Description	<p>Extensibility hook GIVEN</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_UPD_UDE
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_UPD_UDE
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_Tb_Cluster_Data('l_prod') := l_prod;
Received from Extensible Layer	l_prod := l_Tb_Cluster_Data('l_prod');
Hook Description	Extensibility hook GIVEN.
Description	<p>Extensibility hook GIVEN.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17303183

Parameter	Description
Function	FN_UPD_UDE
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_UPD_UDE
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	Extensibility hooks are provided for PDM related changes



Description	<p>Extensibility hooks are provided for PDM related changes</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17467091

Parameter	Description
Function	PR_BROKEN_TD
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	PR_BROKEN_TD
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_Tb_Cluster_Data('l_diff_amt') := l_diff_amt;
Received from Extensible Layer	l_diff_amt := l_tb_cluster_data('l_diff_amt');
Hook Description	Hooks Provided
Description	<p>Hooks Provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	25900445