

DDPKS_UPLOAD_CONTRACT_CREATE Package

Extensible Hook Details

Release 14.7.4.0.0

Part No.F98075-01

June 2024

Oracle Financial Services Software Limited

Oracle Park

Off western Express Highway
Goregaon(East)
Mumbai,Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Copyright © 2007, 2024, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

| | | |
|-------------------------------|-------|---|
| 1. FN_CHECK_MANDATORY_DD/3/1 | | 1 |
| 2. FN_CREATE_CONTRACT/6/1 | | 2 |
| 3. FN_DEFAULT_INSTR_NO/4/1 | | 2 |
| 4. FN_DEFAULT_INSTR_NO/4/2 | | 3 |
| 5. FN_DEFAULT_PAY_BRN/3/1 | | 3 |
| 6. FN_INSTR_SAVE/4/1 | | 4 |
| 7. FN_UPLOAD_INST_QUERY/6/1 | | 4 |
| 8. FN_UPLOAD_INST_QUERY/6/2 | | 5 |
| 9. FN_UPLOAD_INST_REPRINT/7/1 | | 5 |
| 10. FN_VALIDATE_DDMICR_NO/3/1 | | 6 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_CHECK_MANDATORY_DD |
| No of Parameters | 3 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_CHECK_MANDATORY_DD |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | l_tb_cluster_data(AC_GL), l_tb_cluster_data(CLG_REQD), l_tb_cluster_data(PROD_CODE) |
| Hook Description | Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_CHECK_MANDATORY_DD(), so that when New walk-in instruments are created, the checks in the function fn_check_mandatory_dd in the package ddpks_upload_contract_create are to be cleared for the new instruments. |
| Description | <p>Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_CHECK_MANDATORY_DD(), so that when New walk-in instruments are created, the checks in the function fn_check_mandatory_dd in the package ddpks_upload_contract_create are to be cleared for the new instruments.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 19444195 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_CREATE_CONTRACT |
| No of Parameters | 6 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_CREATE_CONTRACT |
| Additional parameters | l_fn_call_id l_tb_cluster_data, pErr, pPrm |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_CREATE_CONTRACT(), to display the benefactor name entered by the user, for the new field Benefactor Name added in 1010,8301,8302,8307, 8308,8309 screen. |

| | |
|-------------|---|
| Description | <p>Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_CREATE_CONTRACT(), to display the benefactor name entered by the user, for the new field Benefactor Name added in 1010,8301,8302,8307, 8308,8309 screen.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 18758228 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_DEFAULT_INSTR_NO |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_DEFAULT_INSTR_NO |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | <p>Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_DEFAULT_INSTR_NO(), so it has its own format for generating instrument number for TT.</p> |
| Description | <p>Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_DEFAULT_INSTR_NO(), so it has its own format for generating instrument number for TT.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 19029876 |

| Parameter | Description |
|--------------------------------|--------------------------------|
| Function | FN_DEFAULT_INSTR_NO |
| No of Parameters | 4 |
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_DEFAULT_INSTR_NO |
| Additional parameters | l_fn_call_id l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |

| | |
|------------------|--|
| Hook Description | Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_DEFAULT_INSTR_NO() at the end of the function right after the final assignment to p_instr_no, to override the systems selection for BC/DD instrument numbers. |
| Description | <p>Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_DEFAULT_INSTR_NO() at the end of the function right after the final assignment to p_instr_no, to override the systems selection for BC/DD instrument numbers.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 23653732 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_DEFAULT_PAY_BRN |
| No of Parameters | 3 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_DEFAULT_PAY_BRN |
| Additional parameters | l_fn_call_id l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_DEFAULT_PAY_BRN(), so that for a new instrument created, the ofs branch and ofs account need to over written. |
| Description | <p>Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_DEFAULT_PAY_BRN(), so that for a new instrument created, the ofs branch and ofs account need to over written.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 19480713 |

| Parameter | Description |
|--------------------------------|---------------------------------|
| Function | FN_INSTR_SAVE |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_INSTR_SAVE |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |

| | |
|------------------|--|
| Hook Description | Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_INSTR_SAVE(). |
| Description | <p>Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_INSTR_SAVE().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 23652054 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_UPLOAD_INST_QUERY |
| No of Parameters | 6 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_UPLOAD_INST_QUERY |
| Additional parameters | l_fn_call_id l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_UPLOAD_INST_QUERY(), to provide a facility to mark BC/DD for stop payment. |
| Description | <p>Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_UPLOAD_INST_QUERY(), to provide a facility to mark BC/DD for stop payment.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 23654635 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_UPLOAD_INST_QUERY |
| No of Parameters | 6 |
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_UPLOAD_INST_QUERY |
| Additional parameters | l_fn_call_id l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hooks provided in package DDPKS_INSTRUMENTS in function FN_UPLOAD_INST_QUERY(), |

| | |
|-------------|---|
| Description | <p>Hooks provided in package DDPKS_INSTRUMENTS</p> <p>in function FN_UPLOAD_INST_QUERY(),</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 23652054 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_UPLOAD_INST_REPRINT |
| No of Parameters | 7 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_UPLOAD_INST_REPRINT |
| Additional parameters | l_fn_call_id l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | Hooks provided in function FN_UPLOAD_INST_REPRINT() |
| Description | <p>Hooks provided in function FN_UPLOAD_INST_REPRINT()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 23652054 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_VALIDATE_DDMICR_NO |
| No of Parameters | 3 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_VALIDATE_DDMICR_NO |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible Layer | None |
| Hook Description | <p>Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE</p> <p>in function FN_VALIDATE_DDMICR_NO(),</p> <p>so that MICR for BC issue is unique for branch.</p> |

| | |
|-------------|--|
| Description | <p>Hooks provided in package DDPKS_UPLOAD_CONTRACT_CREATE in function FN_VALIDATE_DDMICR_NO(), so that MICR for BC issue is unique for branch.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 23657770 |