

# Oracle Workforce Management Cloud

---

**User Guide**

**Release 22A**



This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or commercial computer software documentation pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the [Oracle Accessibility Program website](#).

## Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit [My Oracle Support](#) or visit [Accessible Oracle Support](#) if you are hearing impaired.

# Contents

<b>Preface</b>	<b>i</b>
<hr/>	
<b>1 System Overview</b>	<b>1</b>
Overview	1
Types of Activities	1
WFM Terminology	2
Clock In and Out	3
<b>2 WFM – Input Data</b>	<b>5</b>
Input Data	5
Clock Data	5
User Activity Data	19
<b>3 WFM Configuration</b>	<b>23</b>
Configuration	23
User	23
SKU Line and SKU Line Group	24
Cost Center	26
Work Group	26
Work Area	27
Process and Process Type	27
Group Activity	28
Work Area Activities	28
WMS Transaction	29
Goals	29
Breaks	30
<b>4 Input Interfaces</b>	<b>31</b>
Input Interfaces	31
Interface Files	31

---

Uploading Files 32

## **5 Scheduled Jobs 35**

---

Scheduled Jobs 35

Process Stage Track Record 35

Run WMS WFM Interface 35

Purge Stage Track Record 37

Purge WMS Activity Track 37

# Preface

Oracle® Workforce Management Cloud User Guide, Release 22A

Part No. F48870-01

This guide describes in detail how to configure and use Oracle Warehouse Management (WMS) Cloud. All functionality unless specifically noted is available in Oracle Warehouse Management Enterprise Edition Cloud. Please direct any functionality questions to [My Oracle Support](#).

## Change History

Date	Document Revision	Summary of Changes
12/10/2021	-01	Updates for 22A. Added detail in Track Record topic.

## Using Applications

### Additional Resources

- **Community:** Use [Oracle Cloud Customer Connect](#) to get information from experts at Oracle, the partner community, and other users.
- **Guides and Videos:** Go to the [Oracle Help Center](#) to find guides and videos.
- **Training:** Take courses on Oracle Cloud from [Oracle University](#).

### Conventions

The following table explains the text conventions used in this guide.

Convention	Meaning
<b>boldface</b>	Boldface type indicates user interface elements, navigation paths, or values you enter or select.
<code>monospace</code>	Monospace type indicates file, folder, and directory names, code examples, commands, and URLs.
>	Greater than symbol separates elements in a navigation path.

# Contacting Oracle

## Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit [My Oracle Support](#) or visit [Accessible Oracle Support](#) if you are hearing impaired.

# 1 System Overview

## Overview

Oracle WorkForce Management (WFM) provides visibility into the operations and the workforce that perform various activities in the facilities. With an easy-to-use configurable browser-based user interface and radio frequency (RF) functionality, WFM helps reduce labor inefficiencies, raise overall performance and improve accuracy.

WFM allows facility managers and supervisors to set goals for productive activities that users perform in the facility. Actual times spent on different activities are captured by WFM using various methods. WFM offers different reports that show the productivity of users against set goals.

## Types of Activities

Multiple activities are performed by users in a facility. These are broadly categorized into three types as described in the following topics.

### *Related Topics*

- [System Activities](#)
- [VAS Activities](#)
- [Manual Activities](#)

## System Activities

All the activities that are performed using Oracle Cloud Warehouse Management System (OCWMS) RF device are considered to be system activities. These are productive and therefore goals are defined against each system activity.

## VAS Activities

Any Value Added Service that is performed in the facility is considered a VAS activity. These are captured directly in Oracle Cloud WFM as described under [VAS Data](#). These are also productive and therefore goals are defined against each VAS activity.

## Manual Activities

Manual Activities include maintenance related effort, scheduled meetings and time spent towards unexpected events. These are also captured directly in Oracle Cloud WFM (using [Clock](#) feature). These are non-productive and therefore goals are not defined for such activities.

# WFM Terminology


The following acronyms represent the logical and physical entities in WFM

- **FAC** – Represents the **FACILITY** which is a physical entity. This could be a Distribution Center, Warehouse or a Store. Users have to clock into a facility before starting their activities in the facility. Towards the end of their work day, users have to clock out of the facility.
- **CC** – Represents a **COST CENTER** which is a logical entity. Depending on the business, a cost center could represent a department within a facility to which costs can be allocated. The entire facility could fall under a single cost center OR a facility could comprise of multiple cost centers.
- **WG** – Represents a **WORK GROUP** which is a logical entity. A cost center comprises of one or more work groups.
- **WA** – Represents a **WORK AREA** which could be considered as a physical area in the facility. Users have to clock into a work area before starting their activities. After completing their activities, users need to clock out of that work area . A work group comprises of one or more work areas.
- **WAA** – Represents **WORK AREA ACTIVITY**. These are activities that users perform within a work area. The activities performed could be *System Activities*, *VAS Activities* or *Manual Activities*. Multiple activities could be performed in a work area.
- **CI** – Represents user *Clock In and Out*. Clock-In is used to clock into the facility, work area, break, VAS Activities and Manual Activities.
- **CO** – Represents user *Clock Out*. Clock-Out is used to clock out of the facility, work area, break, VAS Activities and Manual Activities.

## A Sample Setup in WFM

Following is an example of how clients could configure WFM to suit their business:

**Note:** A set of related Work Area Activities can be grouped together under a Process.






## Clock In and Out

Clocking is a process of capturing the time stamp of every user entering and exiting the facility. It also captures the user's entry and exit into Work Areas, VAS activities, Manual activities and Break.

Every user has to clock into (CI) the facility (FAC) when he enters the warehouse/building. As the next logical step, the user needs to clock into the Work Area (WA) where the user will start performing his warehouse activities (WAA – Work Area Activities). If the user needs to step out on a lunch or tea break, he needs to clock in/out to indicate that to WFM. Finally he needs to clock (CO) of the Work Area and from the Facility.

### A Sample User Work Flow in WFM

Users are required to follow a specific clock-in/clock out process. The following figure depicts a typical clock-in/out flow assuming that the user is performing activity in a single work area on this day.





## 2 WFM – Input Data

### Input Data

There are two main inputs that go into WFM: User clock information and user activities performed on the warehouse floor. This data is then used by various reports in WFM.

The clock data is used to determine the time the user has spent in a physical or logical area, for example, total time spent in the facility, the time spent in a specific work area, time spent for a specific break or time spent on a work area activity.

User activities provide the task accomplished in terms of UOM and the time taken to achieve the task.

### Clock Data

There are multiple ways in which users can be clocked in various entities:

- *WFM Browser Clock View*: Using WFM Clock view from the browser
- *WFM RF Clock Views*: Using WFM clock options on RF hand held device
- *WMS RF Clock View*: Using WMS clock option on RF hand held device
- *External Systems*: Interface user clock information from external time management systems

### WFM Browser Clock View

Clock is a browser-based view that is typically used by a supervisor to clock users in and out of various entities. The person that has logged into the application and clocks other users is called the clocker. The clocker could either clock himself or clock other users.

### Facility Clocking

In order to clock users into or out of a facility, set **Mode** as “Facility” and select the appropriate facility from the **Facility** drop-down. Enter the login ID of the user in the **User** field and hit the clock-in or clock-out button as required.

## Work Area Clocking

In order to clock users into or out of a Work Area, set **Mode** as “Work Area”. Then select the appropriate facility from the **Facility** drop down and then the Work Area from the **Work Area** drop down. Enter the login ID of the user in the **User** field and hit the clock-in or clock-out button as required.

Mode	<input type="text" value="Work Area"/>
Facility	<input type="text" value="QATST01"/>
Work Area	<input type="text"/>
Activity	<input type="text" value="Cosmetics Area 5"/>
Level (for VAS only)	<input type="text" value="Outbound Dock 5B"/>
Team	<input type="text" value="Quality Control Area"/>
Break	<input type="text" value="Receiving Dock 1"/>
User *	<input type="text" value="Shrink Wrapping Area"/>


## VAS Activities Clocking

When a user or a group of users (team) need to be clocked into or out of a certain VAS activity, set Mode as “VAS”. Select the appropriate facility from the **Facility** drop down, followed by the Work Area from the **Work Area** drop down. From the **Activity** drop down, Select the activity that the user or team need to work on. Select “user” or “team” (as required) from the **Level** drop down. Depending on the **Level** selection, enter either the login ID of the user in the **User** field OR select a team from the **Team** drop down. Next hit the clock-in or clock-out button as required.

Mode	<input type="text" value="Vas"/>
Facility	<input type="text" value="QATST01"/>
Work Area	<input type="text" value="Receiving Dock 1"/>
Activity	<input type="text" value="WAA2"/>
Level (for VAS only)	<input type="text" value="User"/>
Team	<input type="text" value="Team"/>
Break	<input type="text" value="User"/>
User *	<input type="text"/>

## Manual Activities Clocking


In order to clock a user into or out of a manual activity, set Mode as “Manual”. Select the appropriate facility from the **Facility** drop down, followed by the Work Area from the **Work Area** drop down. From the **Activity** drop down, select the activity that the user would be working on. Enter the login ID of the user in the **User** field and hit the clock-in or clock-out button as required.



The screenshot shows a form for Manual Activities Clocking. The fields are: Mode (Manual), Facility (QATST01), Work Area (Receiving Dock 1), Activity (empty), Level (for VAS only) (WAA4, WAA3), Team (WAA2), Break (WAA1), and User (empty).

## Break Clocking

To clock a user into or out of a break, set Mode as “Break”. Select the appropriate facility from the **Facility** drop down, followed by the break from the **Break** drop down. Enter the login ID of the user in the **User** field and hit the clock-in or clock-out button as required.



The screenshot shows a form for Break Clocking. The fields are: Mode (Break), Facility (QATST01), Work Area (empty), Activity (empty), Level (for VAS only) (empty), Team (empty), Break (empty), and User (Breakfast, Evening Break, Lunch Break, Tea/Coffee Break).

## WFM RF Clock Views

WFM offers multiple RF options for users to clock into and out of various entities while operating on the warehouse floor. The user logged into RF handheld is called the clocker. The clocker could either clock himself or clock other users.

### RF CICO

**Module:** RF-Text: CICO (wfm)

In general, this RF screen provides options for clocking users in facility and work area and also inquire about users. Depending on the role of the user that has logged into RF handheld device, the options presented on selecting this RF screen varies as shown in pictures below:

**Role:Administrator/Employee**

```
Oracle WMS QATST01/QATSTPC
WFM CI CO
1) Employee Inq
Choice: _____

Env: ██████████
Ctrl-T: Switch work area
Ctrl-U: Undo last action
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

**Role:Management**

```
Oracle WMS QATST01/QATSTPC
WFM CI CO
1) Clock In Facility
2) Clock Out Facility
3) Clock In Workarea
4) Clock Out Workarea
5) Employee Inq
Choice: _____

Env: ██████████
Ctrl-T: Switch work area
Ctrl-U: Undo last action
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

**Role:Supervisor**

```
Oracle WMS QATST01/QATSTPC
WFM CI CO
1) Clock In Workarea
2) Clock Out Workarea
3) Employee Inq
Choice: _____

Env: ██████████
Ctrl-T: Switch work area
Ctrl-U: Undo last action
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

**Role:Guard**

```
Oracle WMS QATST01/QATSTPC
WFM CI CO
1) Clock In Facility
2) Clock Out Facility
3) Employee Inq
Choice: _____

Env: ██████████
Ctrl-T: Switch work area
Ctrl-U: Undo last action
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

To summarize, only a user with Management role has access to all the options on this screen. A user with Guard role can only clock users at a facility level. A user with supervisor role can only clock users at a work area level. A user with Administrator or Employee role do not have the option to clock users either at the facility or the work area level. All users (regardless of role) have the option of inquiring about other users using the option **Employee Inq**.

Choosing any of the Clock In/Out options, presents you with the next screen where the user id has to be keyed in. As an example, if the “Clock In Facility” option is selected, the following screen shows up. Here the login id of the user that needs to be clocked into facility is keyed in.

```
Oracle WMS QATST01/QATSTPC
Clock In facility

User: _____

Env: ██████████
Ctrl-U: Undo last action
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

Unlike Clock View in the browser, RF does not provide options for Facilities or Work Area. Instead the user is clocked into the Facility/Work Area that is marked as a default for the user.

Also, to clock a user into a Work Area, the clocker (logged in user) needs to have the same default Work Area as the user. If the clocker does not have the same default *Work Area* as the user being clocked in, the following error is encountered .

```
Oracle WMS QATST01/QATSTPC

usernoteligibleforworkarea

Env: ██████████ ....
Ctrl-U: Undo last action
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

Ctrl-U: This control key can be used to undo the last action. For example, if a particular user was clocked into facility, hitting Ctrl-U button would mark the user as not clocked into facility.

## RF VAS

**Module:** RF-Text: VAS (wfm)

This RF screen provides options to clock users (or a Team) in a VAS activity. Regardless of the role of the logged in user, the following options are presented on selecting this RF screen:

```
Oracle WMS QATST01/QATSTPC
Oracle WMS QATST01/QATSTPC
WFM VAS
1) Clock In VAS Team
2) Clock Out VAS Team
3) Clock In VAS User
4) Clock Out VAS User
5) Employee Inq
Choice: _____

Env: ██████████
Ctrl-T: Switch work area
Ctrl-X: Exit App
Ctrl-W: Previous screen
Ctrl-W: Previous screen
```

On selecting “Clock In Vas Team” or “Clock In Vas User”, all the VAS activities that have been configured in the logged in user’s default Work Area are displayed in the next screen.

```
Oracle WMS QATST01/QATSTPC
VAS Activities:
1) DRYING
2) IRONING
3) WASHING

=> _____

Env: ██████████
Ctrl-U: Page Up
Ctrl-D: Page Down
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

After selecting an activity, the logged in user is taken to the next screen, which shows all the *Teams* that are eligible to operate in this Work Area.



```
Oracle WMS QATST01/QATSTPC
VAS Teams
1) Labeling Team
2) Wrapping Team

=> _____

Env: ██████████
Ctrl-U: Page Up
Ctrl-D: Page Down
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

After selecting a team, the next screen varies, depending on the choice made on first screen. If “Clock In Vas Team” was selected, logged in user needs to confirm if the selected team can be clocked in. If “Clock In Vas User” was selected, the logged in user is prompted to enter the id of the user that needs to be clocked in.

#### Clock In Vas Team Clock In Vas User

Clocking in a team, clocks all the users of that team into the VAS activity.

If the clock out options are selected on main screen, the logged in user is prompted to enter either the id of the user or the team that needs to be clocked out. Clocking out a team, clocks out all the users of the team from that VAS activity. The team or user is clocked out from the last clocked in VAS activity.

## RF Manual

**Module:** RF-Text: MANUAL (wfm)

This RF screen provides options to clock users in a Manual activity. Regardless of the role of the logged in user, the following options are presented on selecting this RF screen:

```
Oracle WMS QATST01/QATSTPC
Oracle WMS QATST01/QATSTPC
WFM Manual
1) Clock In Manual Activity
2) Clock Out Activity
3) Employee Inq
Choice: _____

Env: ██████████
Ctrl-T: Switch work area
Ctrl-X: Exit App
Ctrl-W: Previous screen
Ctrl-W: Previous screen
```

On selecting “Clock In Manual Activity”, all the manual activities that have been configured in the logged in user’s default Work Area are displayed in the next screen.

```
Oracle WMS QATST01/QATSTPC
Manual Activities
1) WAA1
2) WAA2
3) WAA3
4) WAA4

=> _____

Env: ██████████
Ctrl-U: Page Up
Ctrl-D: Page Down
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

After selecting an activity, on the next screen, the logged in user is prompted to enter the id of the user that needs to be clocked in.

On selecting “Clock Out Activity” on the main screen, the logged in user is prompted to enter the id of the user that needs to be clocked out. The user is clocked out from the last clocked in manual activity.

## RF Break CI

**Module:** RF-Text: Break CI (wfm)

This RF screen can be used for clocking in users into a break. Regardless of the role of the logged in user, the following options are presented on selecting this RF screen:

```
Oracle WMS QATST01/QATSTPC
WFM Break CI
1) Breakfast
2) Evening Break
3) Lunch Break
4) Tea/Coffee Break

=> _____

Env: ██████████
Ctrl-U: Page Up
Ctrl-D: Page Down
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

After selecting a break option, on the next screen the logged in user is prompted to enter the id of the user that needs to be clocked into the selected break.

## RF Break CO

**Module:** RF-Text: Break CO (wfm)

This RF screen can be used for clocking out users from a break. Regardless of the role of the logged in user, the logged in user is prompted to enter the id of the user that needs to be clocked out.

The user is clocked out from the last clocked in break.

## RF VAS or CICO

**Module:** RF-Text: VAS or CICO (wfm)

This RF screen acts as a one-stop screen that provides all the options that have been described in individual RF screens above. Regardless of the role of the logged in user, the following options are presented on selecting this screen.

<pre> Oracle WMS QATST01/QATSTPC Oracle WMS QATST01/QATSTPC       WFM VAS or CICO 1) Clock In/Out 2) VAS 3) Manual 4) Start break 5) End break 6) Employee Inq Choice: _____  Env: ██████████ Ctrl-T: Switch work area Ctrl-X: Exit App Ctrl-W: Previous screen Ctrl-W: Previous screen                     </pre>
--

1. Clock In/Out: Choosing this option takes you through the same screenflow as *RF Cico*.
2. VAS: Choosing this option takes you through the same screenflow as *RF VAS*.
3. Manual: Choosing this option takes you through the same screenflow as *RF Manual*.
4. Start Break: Choosing this option takes you through the same screenflow as *RF Break Cl*.
5. End Break: Choosing this option takes you through the same screenflow as *RF Break CO*.
6. Employee Inq: Choosing this option takes you through the same screenflow as *RF Employee Inq*.

## RF Employee Inq

**Module:** RF-Text: Employee Inq (wfm)

This RF screen does not provide any clock options but can be used to inquire about any user. The first screen prompts for a user and on keying in the id of a user, the last clock information about the user is displayed.

```
User: test user42
Clock in at vas
Clocker: test user4
Whse: LGF-WAREHOUSE
WA: Shrink Wrapping Area
VAS: IRONING
Team: Wrapping Team
2020-07-13 03:37:00.956957
```

```
Env: ██████████.....
Ctrl-X: Exit App
Ctrl-W: Previous screen
```

For example, in the screenshot above, the logged in user has requested information about **test user42**. The Employee Inq screen shows that the **test user42** was last clocked into the “IRONING” VAS Activity by clocker **test user 4** on July 13th at 03:37 am.

Note: **Employee Inq** is also available as an option in all other clock RF screens except the Break RF screens.

## WMS RF Clock View

WMS provides a single RF option for user clocking. This option can only be used to clock in the fa Also, there are no validations against the requests using this screen. Any request made via this RF screen does not take into effect immediately. The clock information is captured and sent to WFM where the data is validated and users are then marked appropriately. It's advisable to use this option only when a user is absolutely sure of the order in which he is making requests.

For example, a user who is not clocked into facility ideally cannot clock into any other entity. On a WFM RF Clock option and WFM Browser Clock view, this user will not be allowed to clock into other entities. However, when WMS RF option is used, the data is simply passed to WFM, where the validations are made and then the clock request could be either rejected or accepted. User is not aware of this status unless a supervisor views in the *WFM Track Record View*.

Following topic describes the options available on this RF screen.

### RF Clock In and Clock Out User

**Module:** RF-Text: Clock In and Clock Out User

On selecting this RF screen, user is presented with the following options:

```

Oracle WMS QATST01/QATSTPC
CI CO User

1. CI Facility
2. CO Facility
3. CI WorkArea
4. CO WorkArea

Option:  _

Env: ██████████
Ctrl-X: Exit App
Ctrl-W: Previous screen
    
```

Selecting option 1 sends a “clock into current facility” request to WFM. Selecting option 2 sends a “clock out of current facility” request to WFM. The requests are validated and accepted/rejected in WFM.

```

Oracle WMS QATST01/QATSTPC
C
Clock Out from Facility QATST01.
1
2
3. CI WorkArea
4. CO WorkArea

Option:  2

Env: ██████████. ....
Ctrl-X: Exit App
Ctrl-W: Previous screen
    
```

Selecting option 3 prompts the user to key in the Work Area that he needs to be clocked into. WMS only validates if the Work Area is valid. WMS does not validate if the user is eligible for the keyed in Work Area. The request is captured and sent to WFM where data is validated and either accepted or rejected.

Selecting option 4 prompts the user to key in the Work Area from where he needs to be clocked out of. WMS only validates if the Work Area is valid. WMS does not validate if the user is eligible for the keyed in Work Area. The request is captured and sent to WFM where data is validated and either accepted or rejected.

## External Systems

If a facility uses a time management system to capture user’s entry and exit into the warehouse, this information can be interfaced into WFM as a clock file. The clock file can also have break information assuming that users walk out the facility for breaks. Data in the clock file is interfaced into WFM *Stage Track Record*.

Details about the clock file and the interface that processes this file is described in the section - *Input Interfaces*.

## Track Record

If users are clocked using *WFM Browser Clock View* or WFM RF Options, the clock information is captured and can be viewed directly in the Track Record view in WFM.

Track Records - WFM

User	Clocker	Clock in/out	Action Code	Facility	Shift	Work Area	Activities	Team	Break	Date
test_user2	KKALL01	OUT	0	QATST01	MORNING					08/30/2020 12:16:04 PM
test_user52	KKALL01	IN	2	QATST01	MORNING	Cutting Work Area	Sleeves WAA	Sleeves Team		08/30/2020 11:54:23 AM
test_user51	KKALL01	IN	2	QATST01	MORNING	Cutting Work Area	Sleeves WAA	Sleeves Team		08/30/2020 11:54:23 AM
test_user2	KKALL01	OUT	1	QATST01	MORNING	Cutting Work Area				08/30/2020 11:45:50 AM
test_user2	KKALL01	OUT	3	QATST01	MORNING				Tea/Coffee	08/30/2020 11:30:12 AM
test_user2	KKALL01	IN	3	QATST01	MORNING				Tea/Coffee	08/30/2020 11:15:32 AM
test_user2	KKALL01	OUT	2	QATST01	MORNING	Cutting Work Area	Sleeves WAA			08/30/2020 11:10:02 AM
test_user52	KKALL01	IN	1	QATST01	MORNING	Cutting Work Area				08/30/2020 8:51:16 AM
test_user51	KKALL01	IN	1	QATST01	MORNING	Cutting Work Area				08/30/2020 8:51:07 AM
test_user52	KKALL01	IN	0	QATST01	MORNING					08/30/2020 8:47:29 AM
test_user51	KKALL01	IN	0	QATST01	MORNING					08/30/2020 8:46:50 AM
test_user2	test_user2	IN	2	QATST01	MORNING	Cutting Work Area	Sleeves WAA			08/30/2020 8:34:45 AM
test_user2	test_user2	IN	1	QATST01	MORNING	Cutting Work Area				08/30/2020 8:33:58 AM
test_user2	test_user2	IN	0	QATST01	MORNING					08/30/2020 8:31:44 AM

The fields that appear in this view are described below:

**User:** User that has been clocked.

**Clocker:** Personnel that has clocked the user. If the user has clocked himself, this field has same information as the **User** field.

**Clock in/out:** A value of **IN** indicates that the user has been clocked into the entity. A value of **OUT** indicates that the user has been clocked out of the entity.

**Action Code:** Indicates the entity in which the user has been clocked. This field supports values 1 through 4.

- 0 – Indicates Facility
- 1 – Indicates Work Area.
- 2 – Indicates Work Area Activity. This could be either a VAS activity or a manual activity.
- 3 – Indicates Break.

**Shift:** Indicates the shift that corresponds to the time at which user clocks into the facility. The *Shift* section describes how the shift of a user is determined.

**Work Area:** Indicates the Work Area in which user is clocked. This field is populated when Action Code is 1.

**Activities:** Indicates the Work Area Activities in which user is clocked. The activity could be either a VAS activity or a manual activity. This field is populated when Action Code is 2.

**Team:** Indicates the team that has been clocked for VAS activity. This field is populated when Action Code is 2 and a team has been clocked into a VAS activity.

**Break:** Indicates the Break in which user is clocked. This field is populated when Action Code is 3.

**Date:** Date and time at which the user is clocked.

This view does not provide a create option, and new clock records cannot be created manually. However, the view provides update and delete options. In order to update or delete a record, you need to login as the clocker of that record. For example, in the picture above, in order to update or delete any record that has clocker as “KKALL01”, you need to login as “KKALL01”.

## How WFM Tracks Shifts

Although a user could be assigned with a default “shift”, it is not mandatory that the user clocks-in into the same shift. Having said that, WFM determines the shift based on the time that the user clocks into the facility. For example, if there are three shifts configured in WFM:

Shift Name	Start Time ( <i>Ascending</i> )
Morning	7:00:00 AM
Afternoon	2:00:00 PM
Night	11:00:00 PM

Depending on the time at which the user clocks into the facility, WFM determines the closest “Start Time” from Shifts and clocks the user against that shift. For example, if a user clocks-in at 6:00 AM, the shift is determined as “Morning”. If a user clocks-in at 8:00 AM, the shift is determined as “Morning”. If a user clocks into the facility at 7 PM, the shift is determined as “Night”, because 7 PM is closest to the “Start Time” of 11:00 PM in the table above (In other words, 5 hours have already passed since shift “Afternoon” started)

This helps provide a true picture of the shift in which the user worked as well as use shift filters appropriately in all the productivity reports.

## Stage Track Record

If users are clocked using the WMS RF Option or user clock file interfaced from *external systems*, the clock information is first written to Stage Track Record. A background process picks up this data, validates and then moves data to Track Record. Only records in “Ready” status are picked up for processing. This process is either triggered manually by using the **run\_process** button on Stage Track Record view OR scheduled using the Scheduled Jobs view

Stage Track Record - WFM

Facility	Employee ID	CICO Type	CICO Timestamp	Status	Processing System	Error Message	Work Area
QATST01	8918918101	F6	08/31/2020 1:28:19 PM	Ready	W		INBOUND
QATST01	2	F4	08/31/2020 4:16:18 PM	Cancelled	M	Msg 101007	
QATST01	2	F3	08/31/2020 10:45:05 AM	Ignored	M	Msg 101007	
QATST01	2	F2	08/31/2020 10:32:02 AM	Failed	M	Msg 101007	
QATST01	2	F1	08/31/2020 8:27:12 AM	Failed	S	Msg 101007	
QATST01	8918918101	F5	08/30/2020 10:13:47 PM	Processed	W		INBOUND
QATST01	8918918101	F1	08/30/2020 10:04:28 PM	Processed	W		

The fields that appear in this view are described below:

**Employee ID:** Unique ID of the user. This corresponds to the ID in the User view.

**CICO Type:** Indicates the entity in which the user has been clocked. This field supports the following:

- F1 – Indicates clock-in to a Facility
- F2 – Indicates clock-in to a Break
- F3 – Indicates clock-out of a Break
- F4 – Indicates clock-out of a Facility
- F5 – Indicates clock-in to a Work Area
- F6 – Indicates clock-out of a Work Area

**CICO Timestamp:** Date and time at which the user is clocked.

**Status:** The following values are supported:

- Not Ready – Indicates that the record is not ready to be picked up yet by the background process.
- Ready – Indicates that the record is ready to be picked up by the background process.
- Processing – Indicates that the record is currently being processed by the background process.
- Processed – Indicates that the record has been processed successfully and moved to Track Record.
- Ignored – Duplicate records are marked as “Ignored”
- Cancelled – A record can be marked as cancelled. Cancelled records are not picked up by the background process
- Failed – Indicates that the record failed validations during processing. Such records have the **Error Message** field populated with the relevant text indicating the reason for failure .

**Processing System:** The following values are supported:

- M – Indicates that the data is interfaced by an external system. M is used when new clock data is interfaced to WFM.
- S – Indicates that the data is interfaced by an external system. S is used when existing clock data in WFM needs to be updated.
- W – Indicates that the user has been clocked using WMS RF option.

**Error Message:** This field is populated with the appropriate error message when the record fails data validations. After the required configurations are put in place (example, missing User OR Work Area), an administrator can reset the record by using the edit icon and change status to “Ready”. During the next process run, if the record processes successfully, this field is cleared.



**Work Area:** This field is populated with the Work Area when **CICO Type** is F5 or F6

**run\_purge:** This button is used to manually trigger the *purge process* which purges old data from Stage Track Record.

## Shifts

Users are typically assigned default shifts in the User Master. However it is not mandatory that the user clocks-in to the default shift. Depending on the time at which the user clocks into the facility, WFM matches the user's clock-in time with the start-time of all the shifts configured in the system. The user is then assigned to the shift that has the closest "start time" compared to the facility clock-in time.

For example, let's say that the following three shifts have been configured in WFM. User1 has a default shift defined as "Afternoon" configured in the User Master.

Shift Name	Start Time (Ascending)	End Time
Morning	7:00:00 AM	4:00:00 PM
Afternoon	2:00:00 PM	11:00:00 PM
Night	11:00:00 PM	8:00:00 AM

On day 1, if User1 clocks-in to the facility at 6:00 AM, the shift is determined as "Morning". On day 2, if this user clocks-in to the facility at 8:00 AM, the shift is again determined as "Morning". On day 3, if this user clocks into the facility at 7 PM, the shift is determined as "Night", because 7 PM is closest to the "Start Time" of 11:00 PM."

In the table above (5 hours have already passed since shift "Afternoon" has started).

In other words, although User1's default shift is defined as "Afternoon", the actual shift is determined based on the time at which User 1 clocks into the facility.

Also, once a user's shift has been determined, the same shift is applicable to all other clocks for the user until the user clocks out of the facility. This helps provide a true picture of the shift the user worked on that day and it also uses shift filters appropriately in all the productivity reports.

## User Activity Data

Since system and VAS activities are productive, the time taken to perform these activities and the measure of the activity performed (in relevant UOM) is required in WFM.

## WMS Data

User activities performed using WMS RF options are called System Activities. The facility parameter WRITE\_WMS\_ACTIVITY\_RECORDS controls the recording of these activities in WMS. If the facility parameter is set to "Yes", all user activities performed using WMS RF options are recorded in WMS. These records contain both the time taken as well as the measure of the activity performed. This data is extracted from WMS at regular intervals by the "WMS WFM Interface" scheduled via the Scheduled Jobs view. Data is consolidated and moved to WMS Activity Track view in WFM.

## WMS Activity Track

As a first step “WMS WFM interface” validates the *SKU line*, *User* and *WMS Transaction* of each record that is moved from WMS to WFM. If all three values are configured in WFM, the status on the record is marked as “SUCCESS”. However, if any of the three values are not configured, the record fails and the appropriate “Unknown” field is populated. For example, if the SKU Line is not configured, the status on the record is marked as “ERROR” and the “Unknown SKU Line” field is populated with the SKU Line that was on the record. The begin and end time stamp capture the total time taken for the user to perform the activity. Nbr Pallets, Nbr LPNs and Nbr Units show the total quantity of Pallets, LPNs or units handled during the activity.

WMS Activity Track - wfm

Facility	Unknown Sku Line	SKU Line Group	Unknown User	User	Unknown Transaction	WMS Transaction	Stat Code	Nbr Pallets	Nbr LPNs	Nbr Units	Module Name	Begin time stamp
AUTOFAC		APPARELS		wfmqa1		WFM RECEIVING	SUCCESS	0	1	2	rf.inbound.cwrfrecvlpnshpmt	08/19/2020 11:01:4
AUTOFAC		SPORTS		wfmqa1		WFM RECEIVING	SUCCESS	0	2	5	rf.inbound.cwrfrecvlpnshpmt	08/19/2020 11:03:2
AUTOFAC		APPARELS		wfmqa1		WFM RECEIVING	SUCCESS	0	1	2	rf.inbound.cwrfrecvlpnshpmt	08/19/2020 1:10:35
AUTOFAC		APPARELS		wfmqa1		WFM RECEIVING	SUCCESS	0	1	3	rf.inbound.cwrfrecvlpnshpmt	08/19/2020 11:02:4
AUTOFAC		APPARELS		wfmqa1		WFM RECEIVING	SUCCESS	0	2	2	rf.inbound.cwrfrecvlpnshpmt	08/19/2020 11:06:3
AUTOFAC		SPORTS		wfmqa1		WFM RECEIVING	SUCCESS	0	2	2	rf.inbound.cwrfrecvlpnshpmt	08/19/2020 11:08:4
AUTOFAC		APPARELS		wfmqa1		WFM MANUAL REC...	SUCCESS	0	1	2	rf.inbound.cwrfrecvlpnshpmt	08/19/2020 5:27:31
AUTOFAC		SPORTS		wfmqa1		WFM MANUAL REC...	SUCCESS	0	1	2	rf.inbound.cwrfrecvlpnshpmt	08/19/2020 5:28:20
AUTOFAC		APPARELS		wfmqa1		WFM RECEIVING VAS	SUCCESS	0	1	2	rf.inbound.cwrfrecvlpnshpmt	08/20/2020 11:36:4
AUTOFAC		SPORTS		wfmqa1		WFM RECEIVING VAS	SUCCESS	0	1	2	rf.inbound.cwrfrecvlpnshpmt	08/20/2020 11:37:3

## Daily Activity Track

As a second step “WMS WFM Interface”, consolidates all the successful records in WMS Activity Track and moves to Daily Activity Track view in WFM. Similar transactions (for example, same user, same SKU Line Group and same Transaction) over a day are consolidated and written at a Daily level in this view.

Daily Activity Track - wfm

User	SKU Line Group	WMS Transaction	Date	Nbr Units	Nbr LPNs	Nbr Pallets	Duration	Create Timestamp
wfmqa1	SPORTS	WFM RECEIVING VAS	08/20/2020	2	1	0	101	08/20/2020 11:44:26 AM
wfmqa1	APPARELS	WFM RECEIVING VAS	08/20/2020	2	1	0	34	08/20/2020 11:44:25 AM
wfmqa1	SPORTS	WFM MANUAL RECE...	08/19/2020	2	1	0	16	08/19/2020 5:30:38 PM
wfmqa1	APPARELS	WFM MANUAL RECE...	08/19/2020	2	1	0	32	08/19/2020 5:30:38 PM
wfmqa1	APPARELS	WFM RECEIVING	08/19/2020	2	1	0	55	08/19/2020 1:13:02 PM
wfmqa1	SPORTS	WFM RECEIVING	08/18/2020	7	4	0	92	08/19/2020 11:04:20 AM
wfmqa1	APPARELS	WFM RECEIVING	08/18/2020	7	4	0	179	08/19/2020 11:02:20 AM
wfmqa1	SPORTS	WFM PUTAWAY	08/17/2020	2	1	0	42	08/17/2020 6:49:40 PM
BNWFM	SPORTS	WFM RECEIVING	07/15/2020	14	2	0	73	07/16/2020 12:45:55 PM
wfmqa1	APPARELS	WFM RECEIVING	07/15/2020	10	1	0	28	07/16/2020 12:31:56 PM
wfmqa1	APPARELS	WFM RECEIVING	07/12/2020	5	1	0	142	07/13/2020 2:56:37 PM

## VAS Data

VAS activities are captured as a two-step process in WFM. The first step is to clock the user in the relevant VAS activity. This records the time taken for the activity. Clocking into VAS activities is explained in *Clock Data*.

The second step is to capture the units (or relevant UOM) worked on during this time period. This is captured using the Daily VAS Track Browser view.

Daily VAS Track - WFM



Activity	Cal Date	Team	Qty	SKU Line Group
Knit Chest WAA	09/02/2020	Knit Chest Team	106	Apparel
Sleeves WAA	09/03/2020	Sleeves Team	50	Apparel

After the user or VAS team clocks into a VAS activity, the total quantity is captured by using the create button on Daily VAS Track view.



# 3 WFM Configuration

## Configuration

The following topics provide more details about configuring different parts of WFM:

### *Related Topics*

- [User](#)
- [SKU Line and SKU Line Group](#)
- [Goals](#)
- [Cost Center](#)
- [Work Group](#)
- [Work Area](#)
- [Process and Process Type](#)
- [Group Activity](#)
- [Work Area Activities](#)
- [WMS Transaction](#)

## User

In the past, in order to interface any data from WMS successfully into WFM, it was necessary to ensure that users that are created in WMS are also created in WFM (or interfaced into WFM). However with the merge of WMS WFM DB, there is single user view which is common to both WMS and WFM. Any user created in a WMS application is applicable to WFM as well.

For user creation, roles and permissions, refer to the [WMS Online Help](#).

## Team

A group of users performing same activities are categorized under a team. Teams are mainly created for VAS activities. Although users can clock individually or as a team to perform VAS activities, the measure of VAS activity performed is captured only at a team level using the Daily VAS Track view.

### Teams View

Teams are created using the Teams view and each team is assigned to a Work Area which corresponds to a VAS activity. The same team could be assigned to multiple Work Areas. Also, multiple teams could be assigned to a Work Area.

VAS Teams - WFM

Users	
Name	Work Area
Knit Chest Team	Embroidery Work Area
Sleeves Team	Cutting Work Area

## Assigning Users to a Team

To assign users to a Team, select the Team, example “Sleeves Team” and hit the Users button. This takes you to the next view with two frames that displays a list of all users configured in the application in the lower frame.

Select the users that need to be assigned to this Team. Checking the box moves the selected Team to the frame above. Hit save button.

← VAS Teams - WFM ▶ Users

<input checked="" type="checkbox"/> test_user51
<input checked="" type="checkbox"/> test_user52
<input type="checkbox"/> test_user1
<input type="checkbox"/> test_user2
<input type="checkbox"/> test_user31
<input type="checkbox"/> test_user32

## SKU Line and SKU Line Group

Items in a warehouse are assigned to SKU Lines. Multiple SKU Lines are further grouped into SKU Line Groups. The groups could be determined based on the physical characteristics of the items and the effort required to handle the items. Placing items in different groups helps set the appropriate goal for each SKU Line Group.

For example, appliances and electronic items in a warehouse could be categorized into SKU Lines and SKU Line Groups as shown below:

Item	SKU Line	SKU Line Group
Watch	Light Weight Electronics	Light Weight Products
iPhone		
Hand Mixer	Light Weight Appliances	
Egg Beater		
Laptop	Medium Weight Electronics	Medium Weight Products
Microwave		
Scanner		
Printer		

Item	SKU Line	SKU Line Group
TV		
Stove	Medium Weight Appliances	
Oven		
Microwave		
84" Inch TV	Heavy Weight Electronics	Heavy Weight Products
Office Printer		
Refrigerator	Heavy Weight Appliances	
Washer		
Dryer		

In the above example, different goals can be set for each SKU Line Group. For example, it's possible to handle 100 units of Light Weight Products in an hour. However it would probably take about 1 hour to move just 1 unit of a Heavy Weight Product.

## SKU Line

SKU Lines are assigned to the items in WMS in the items view. In WMS items view, the **Item Line** field contains the SKU Line of an item. The same SKU Lines need to be defined in WFM using the SKU Line view.

SKU Lines

Name	Description
Heavy Weight Appliances	Large appliances such as Refrigerator, Washer
Heavy Weight Electronics	Large electronics such as Office Printers, TV Sets larger than 75 inch
Light Weight Appliances	Small appliances such as Hand mixer, Egg beater
Light Weight Electronics	Small electronics such as Watch, iPhone
Medium Weight Appliances	Medium sized appliances such as Oven, Microwave
Medium Weight Electronics	Medium sized electronics such as Laptop, Printer

**Note:** WFM is now aware of Items.

## SKU Line Group

Each SKU Line is assigned to a SKU Line Group using the SKU Line Group view.

SKU Line Group - WFM

Name	Description
Heavy Weight Products	Large products that need extra effort for handling
Light Weight Products	Small products that can be easily handled in multiples of 10
Medium Weight Products	Medium sized products that can be handled with a little effort

To assign SKU Lines to a SKU Line group, select the SKU Line group, example “Heavy Weight Products” and hit the SKU Line button. This takes you to the next view with two frames that displays a list of all SKU Lines configured in WFM in the lower frame.

← SKU Line Group - WFM ▶ SKU Lines

<input checked="" type="checkbox"/> Heavy Weight Appliances
<input checked="" type="checkbox"/> Heavy Weight Electronics
<input type="checkbox"/> GENERAL
<input type="checkbox"/> HOME
<input type="checkbox"/> JEWELRY
<input type="checkbox"/> Light Weight Appliances
<input type="checkbox"/> Light Weight Electronics
<input type="checkbox"/> Medium Weight Appliances
<input type="checkbox"/> Medium Weight Electronics
<input type="checkbox"/> NEW
<input type="checkbox"/> ORGANIC JUICE
<input type="checkbox"/> OUTDOOR
<input type="checkbox"/> PACKAGED FOOD
<input type="checkbox"/> PET
<input type="checkbox"/> PHARMACEUTICALS
<input type="checkbox"/> PHOTOGRAPHY
<input type="checkbox"/> PRODUCE

Select the SKU Lines that need to be assigned to this SKU Line group. Checking the box moves the selected SKU Line to the frame above. Click **Save**.

## Cost Center

A single cost center or multiple cost centers can be created in a facility using the Cost Center view.

Cost Center - WFM

Name	Description
CC1	Cost Center1
CC2	Cost Center2

## Work Group

A single work group or multiple work groups can be created within a cost center using the Work Group view.








Work Group - WFM

Name	Description	Cost Centre
Manual GRP	Manual Group	CC2
VAS GRP	VAS Group	CC2
WMS GRP	WMS Group	CC1

## Work Area

A single work area or multiple work areas can be created within a work group using the Work Area view. A supervisor could also be assigned to each Work Area.

Work Areas

Facility	Work Area Code	Name	Color	Supervisor
QATST01	Inbd WA	Inbound Work Area		test_user31
QATST01	Outbd WA	Outbound Work Area		test_user32
QATST01	Cut WA	Cutting Work Area		test_user33
QATST01	Embd WA	Embroidery Work Area		test_user34
QATST01	Maint WA	Maintenance Work Area		test_user35

Every user that performs activities on the warehouse floor needs to be assigned to a Work Area. A user can be assigned to multiple Work Areas. Personnel that clock other users using WFM RF option should be assigned to at least one Work Area that is marked as a default. The Work Area button on Users view is used to assign a user to Work Areas.

To mark the Work Area as a default for the user, enable the Default checkbox in the create pane.

← LGF users ▶ Work Areas

User	Work Area	Default	Default work area activity	Create Timestamp
test_user32	QATST01/Inbd WA	Yes		09/08/2020 8:17:48 PM

## Process and Process Type

A set of related activities are grouped under a Process and multiple Processes are grouped into a Process Type. For example, the RF receiving options in WMS could be grouped under one Process. All Inbound activities such as Receiving and Putaway could be grouped under one Process Type.

Process - WFM

Name	Description	Process Type
Hats Prcs	Hats Process	Embd PT
Jackets Prcs	Jackets Process	Embd PT
Pack Prcs	Packing Process	Outbd PT
Putwy Prcs	Putaway Process	Inbd PT
Recv Prcs	Receiving Process	Inbd PT
Serv Prcs	Servicing Process	Maint PT
Shirts Prcs	Shirts Process	Cutting PT

**Note:** The Process Type has to be configured first before configuring the Process.

## Group Activity

Group Activities are associated with the activities in a Work Area.

## Work Area Activities

The three different activities that users could perform in a Work Area are System Activities, VAS Activities and Manual Activities. These are configured in WFM using the Work Area Activity view.

Work Area Activity - WFM

Activity Code	Name	Work Area Activity Type	Work Area	UOM	Group Activity	Priority Type	process
Rcv By SKU-WAA	Receive By SKU WAA	System	Inbound Work Area	Units	Inbd Grp Act	Primary	Recv Prcs
Pallet PA-WAA	Pallet Putaway WAA	System	Inbound Work Area	Units	Inbd Grp Act	Primary	Putwy Prcs
Dir PA-WAA	Directed Putaway WAA	System	Inbound Work Area	Units	Inbd Grp Act	Primary	Putwy Prcs
Rcv By LPN-WAA	Receive By LPN WAA	System	Inbound Work Area	Units	Inbd Grp Act	Primary	Recv Prcs
Put To Str-WAA	Put To Store WAA	System	Outbound Work Area	Units	Outbd Grp Act	Primary	Pack Prcs
SL-WAA	Sleeves WAA	VAS	Cutting Work Area	Units	Cutting Grp Act	Primary	Shirts Prcs
DH-WAA	Digi Hats WAA	VAS	Embroidery Work Area	Units	Embd Grp Act	Primary	Hats Prcs
CN-WAA	Comp Name Hats WAA	VAS	Embroidery Work Area	Units	Embd Grp Act	Primary	Hats Prcs
APP-WAA	Emblem APP3 WAA	VAS	Embroidery Work Area	Units	Embd Grp Act	Primary	Jackets Prcs
KC-WAA	Knit Chest WAA	VAS	Embroidery Work Area	Units	Embd Grp Act	Primary	Jackets Prcs
BRD-WAA	Border WAA	VAS	Cutting Work Area	Units	Cutting Grp Act	Primary	Shirts Prcs
CN-WAA	Cutting Machine WAA	Manual	Maintenance Work Ar...	Units	Maint Grp Act	Primary	Serv Prcs
EM-WAA	Embroidery Machine WAA	Manual	Maintenance Work Ar...	Units	Maint Grp Act	Primary	Serv Prcs

# WMS Transaction

Since activities performed using WMS RF screens are considered as system activities, all such RF screens need to be associated with the System Work Area Activity in WFM. This association is made in the WMS Transaction view in WFM.

For example, assume that user needs to perform receiving by SKU. In WMS screens view, an RF screen “RF Receive by SKU” is configured.

Screens

Products	Screen Type	Module	Screen Name	Nbr of Parameters
wms	RF-Text	RF-Text: Recv {lpn} Shipment	RF Receive By SKU	37

In WFM, this screen is associated with a Work Area Activity using the WMS Transaction view. The name field in WMS Transaction view should exactly match with the screen name in WMS. If not, when data for such screens is extracted by WMS WFM Interface, it fails with the error “Unknown Transaction”

WMS Transaction - WFM

Facility	Name	Activities	UOM	Pre Pack
QATST01	RF Receive by SKU	Receive By SKU WAA	Units	No
QATST01	RF Receive by LPN	Receive By LPN WAA	Units	No
QATST01	RF Directed Putaway	Directed Putaway WAA	Units	No
QATST01	RF Pallet Putaway	Pallet Putaway WAA	Units	No
QATST01	RF Put To Store	Put To Store WAA	Units	No

# Goals

Since System and VAS Activities are productive, goals must be defined for each System and VAS Activity.

## Goals for System Activities

Goals for system activities are configured using the Prod Goal Line Group view.

Prod Goal Line Group - WFM

Activity	SKU Line Group	Calendar Month	Calendar Year	UOM	UOM/hr	Pre Pack
Receive By SKU WAA	Heavy Weight Products	SEP	2020	Units	2	No
Receive By LPN WAA	Light Weight Products	SEP	2020	LPNs	30	No
Receive By SKU WAA	Medium Weight Products	SEP	2020	Units	20	No


Every system activity needs to have atleast one goal defined for each month of a year. The same activity could have different goals defined based on the SKU Line Group. For example, a user could receive 10 units of light weight products

such as microwave or laptop in an hour. However, it could take about 1 hour for the user to receive just 1 unit of a heavy weight item such as a refrigerator. Therefore goals for each activity needs to be defined based on the SKU Line Group.

## Goals for VAS Activities

Goals for VAS activities are configured using the Prod Goal Line Group view.

Prod Goal VAS - WFM




Activity	Calender Month	Calender Year	UOM	UOM/hr	SKU Line Group
Knit Chest WAA	SEP	2020	Units	25	Apparel
Sleeves WAA	SEP	2020	Units	50	Apparel

Similar to system activity, every VAS activity needs to have atleast one goal defined for each month of a year. The same activity could have different goals defined based on the SKU Line Group.

## Breaks

Predetermined breaks are configured in WFM using the breaks view. A certain duration (in minutes) is allocated for each break. Users need to clock into the relevant break when they take time off from their activities for a break. This helps WFM calculate the actual time taken for a break versus the time allotted for the break.

Breaks - WFM




Name	Duration	Color
Dinner	60	Blue
Snack	30	Brown
Tea/Coffee	15	Purple
Breakfast	30	Yellow
Lunch	60	Green

# 4 Input Interfaces

## Input Interfaces

SKU Lines, user clock information, goals for system and VAS activities can also be interfaced in bulk using the input interfaces view in WFM.



The drop-down in input interfaces view supports the following options:

**SKU Lines:** To upload SKU Lines

**Line Group Goal:** To upload goals for system activities

**VAS Goal:** To upload goals for VAS activities

**Clock:** To upload user clock information generated from an external system

## Interface Files

The following points need to be kept in mind while creating the input file for any interface:

1. The filename must start with the prefix specified in the Interface File Formats document. For example, for sku\_line files, the filename must begin with “SKU”.
2. The fields specified as “required” in the Interface File Formats document, must be provided in the input file.
3. The fields have to appear in the same sequence as specified in the Interface File Formats document.

WFM supports XLS, CSV, and flat file formats. For more details about the fields and data types in each interface, refer to the *WFM Interface File Formats* document.

## Example of a sku\_line File in all Three Formats

### XLS/CSV format

	A	B	C	D	E
1	<b>name</b>	<b>description</b>	<b>action_code</b>	<b>facility_code</b>	<b>company_code</b>
2	Light Weight Appliances	Small appliances such as Hand mixer, Egg beater	create	QATST01	QATSTPC
3	Light Weight Electronics	Small electronics such as Watch, iPhone	create	QATST01	QATSTPC
4	Medium Weight Appliances	Medium sized appliances such as Oven, Microwave	create	QATST01	QATSTPC
5	Medium Weight Electronics	Medium sized electronics such as Laptop, Printer	create	QATST01	QATSTPC
6	Heavy Weight Appliances	Large appliances such as Refrigerator, Washer	create	QATST01	QATSTPC
7	Heavy Weight Electronics	Large electronics such as Office Printers, TV Sets larger than 75 inch	create	QATST01	QATSTPC

### Flat File format (pipe delimited)

```
File Edit Format View Help
Light Weight Appliances|Small appliances such as Hand mixer, Egg beater|create|QATST01|QATSTPC
Light Weight Electronics|Small electronics such as Watch, iPhone|create|QATST01|QATSTPC
Medium Weight Appliances|Medium sized appliances such as Oven, Microwave|create|QATST01|QATSTPC
Medium Weight Electronics|Medium sized electronics such as Laptop, Printer|create|QATST01|QATSTPC
Heavy Weight Appliances|Large appliances such as Refrigerator, Washer|create|QATST01|QATSTPC
Heavy Weight Electronics|Large electronics such as Office Printers, TV Sets larger than 75 inch|create|QATST01|QATSTPC
```

**Note:** WFM does not support XML format. Also there is no Web Service support in WFM

## Uploading Files

In order to upload a file, say sku\_line file, select “SKU Lines” from the dropdown in the Input Interfaces view. Next, hit the “Upload Files” button. This will bring up a pop-up window. Hit on “Choose Files”, select the file from your file explorer and then hit the “Upload” button. Your selected file will now show up under the “Files” tab with the filename suffixed with username and current timestamp. The Message column shows the status of the file as “Unprocessed”. In order to process this file or all other files that have been uploaded, hit the “Run Interface” button. This triggers the interface that processes all the files under the Files tab marked as “Unprocessed”.

## Interface Errors

As a first step, the interface checks for the format of the data in the file. If there are errors in the file structure, the filename is prefixed with error and the relevant error message appears in the “Message” field.

WFM Input Interfaces

SKU Lines ↻ Upload Files Run Interface

**Files** Stage Record

Filename	File Size	Nbr Lines	Mod Timestamp	Sample	Message
error/SKU_5_Reorder_KKALL01_20200917121814808189.psv	144	2	Thu Sep 17 17:...	action_code facility_code company_...	load_stage data failed with error code: 2 Error loading data

However if data format is fine, data in the file goes through next step of validations. At this point, data is moved from Files tab to Stage Record tab. Individual fields are now checked to see if they are valid. For example, in a sku\_line record if action\_code is something other than create or delete, the record is marked as “Failed” and remains in Stage Record tab. The **Err Str** column displays relevant error message.

### WFM Input Interfaces

SKU Lines

↺
Upload Files
↺
Run Interface

Files

Stage Record

↺
🔍
Reprocess selected records
Reprocess ALL failed

Name ▲	Description	Action Code	Status	Err Str
Heavy Weight Appliances	Large appliances such as Refrigerator, Washer	createe	Failed	Invalid action co
Heavy Weight Electronics	Large electronics such as Office Printers, TV Sets large...	createe	Failed	Invalid action co
Light Weight Appliances	Small appliances such as Hand mixer, Egg beater	createe	Failed	Invalid action co

## Reprocessing Failed Records

If the error is configuration related, for example, if a clock record fails because of invalid work area, then such a work area can be configured in WFM. After configuring the work area, the failed record is selected in Stage Record tab and “Reprocess selected records” button is selected. If configurations related to all failed records are taken care of, then you could select the button “Reprocess ALL failed” without selecting any record.

## Processed Data

Data that is interfaced from SKU Line files and processed successfully can be viewed in SKU Lines view. Data interfaced from Line Group Goal files can be viewed in Prod Goal Line Group view. Data interfaced from VAS Goal files can be viewed in Prod Goal VAS view. However, data from clock files is first written to Stage Track Record. A background process validates and moves clock data to Track Record view.





# 5 Scheduled Jobs

## Scheduled Jobs

WFM shares Scheduled Jobs view with WMS. The Job Type dropdown in this view offers multiple job types. Following are the four job types that are used in WFM.

## Process Stage Track Record

This job type is used to schedule the process that picks up clock records from Stage Track Record, validate and move data to Track Record.

**Note:** The username provided in Process Track Record scheduled jobs should be eligible for the facility /facilities where the records will be picked up for clock in/out in RF or WMS transactions. If a username that is in one of these scheduled jobs is eligible in more than one facility, then in the other facilities where this user is eligible, the scheduled jobs should not be enabled, otherwise this will create errors that can only be fixed via a datafix. It is recommended that you use a generic WFM user that is eligible in all of the facilities that you want to transfer the record to WFM. You should create a single scheduled job for each of these two scheduled jobs in a single facility.

## Stage Process

This process moves clock data from Stage Track Record to Track Record. The Employee ID corresponds to the ID in the WMS/WFM Users view. If a user with such an ID is not found in the Users view, the status of the record is updated as failed and appropriate error is written in the Error Message field.

The process also validates if the clock in or the clock out requests for a user are recorded in the correct order. For example, If the CICO Timestamp of a F2 (Break clock-in) is earlier than F1 (Facility clock-in) record for a user, the record is marked as failed.

If the CICO Type is F5 or F6 (Work Area clock-in/clock-out), the process validates if the Work Area on the record is valid.

Since facility clock-in is the first clock-in of the user for the day, if the CICO Type is F1 (facility clock-in), the shift is determined based on the CICO Timestamp of F1 record of the user. All other clock-in records for this user inherit shift from the F1 record.

## Run WMS WFM Interface

This job type is used to schedule the process that picks up system activities from WMS and move data to WMS Activity Track in WFM. As a second step, the process moves data from WMS Activity Track to Daily Activity Track in WFM. This job accepts two parameters, "Username" and "Number of Days".

The “Username” parameter needs to be a valid WMS user and should be eligible for the company/facility where the schedule job has been configured.

The “Number of Days” parameter only accepts values between 0 and 60. If no value is provided, it is defaulted to 7.

**Note:** The **Run WMS WFM Interface** should be enabled for **only one** facility (which will pick up all of the records from all facilities.)

**Note:** The username provided in Run WMS WFM Interface scheduled jobs should be eligible for the facility /facilities where the records will be picked up for clock in/out in RF or WMS transactions. If a username that is in one of these scheduled jobs is eligible in more than one facility, then in the other facilities where this user is eligible, the scheduled jobs should not be enabled, otherwise this will create errors that can only be fixed via a datafix. It is recommended that you use a generic WFM user that is eligible in all of the facilities that you want to transfer the record to WFM. You should create a single scheduled job for each of these two scheduled jobs in a single facility.

## Interface Process

This interface moves data from WMS Activity (WMS) tables to WMS Activity Track (WFM tables). The next step in the process validates the User, SKU Line and WMS Transaction on each record before consolidating and moving the records to Daily Activity Track (WFM tables). With the WMS-WFM DB merge, since user table is now common between WMS and WFM, User validation is redundant. However, if either the SKU Line or WMS Transaction is not configured in WFM, the record is marked as ERROR and remains in WMS Activity Track.

## Reprocessing Records

Records in WMS Activity Track with errors can be reprocessed by ensuring that missing data is first configured in WFM. For example, if a record fails due to missing SKU Line, the corresponding Unknown SKU Line column is populated with the Sku Line that is not configured in WFM. This Sku Line needs to be configured in WFM.

After configuring missing data, there are two ways in which error records can be reprocessed. The first option is to use the “Process WMS Activities” button on WMS Activity Track view. The other option is to just wait for the next scheduled run of the interface. The second step of the interface always tries to re-process error records first before processing new records.

If the reprocessing is triggered due to scheduled interface run, the “Number of Days” parameter is used to determine how many records should be reprocessed. Only records that fall in the range between current date and past “Number of Days” days are picked up for reprocessing. An extra day is added to “Number of Days” to take into account any user transaction that could have occurred over midnight traversing between two days.

For example, if current date is September 21 and “Number of Days” has been set as 10, the interface reprocesses records that have “Begin time stamp” later than or equal to September 10th (September 21 – (10+1) days).

**Note :** “Number of Days” parameter is only used for reprocessing error records. Also this parameter is only used when the reprocessing is triggered by scheduled job. It is not used when reprocessing is triggered using “Process WMS Activities” button on WMS Activity Track view.

## Purge Stage Track Record

This job type is used to schedule the process that purges old data from Stage Track Record. The job accepts a single job parameter “nbr\_of\_days”.

### Purge Process

This process purges data from Stage Track Record that are older than a specified number of days and are either in PROCESSED, FAILED, IGNORED or CANCELLED status. The “nbr\_of\_days” parameter is used to determine how days worth data needs to be retained in Stage Track Record

For example, if the nbr\_of\_days parameter is set to 45 on the job, all records older than 45 days from current day will be purged (as long as they are in one of status mentioned above).

If the nbr\_of\_days parameter is not provided, the value is defaulted to 30

**Note:** the date comparison is made with the mod\_ts field which is not visible in Stage Track Record view.

## Purge WMS Activity Track

This job type is used to schedule the process that purges old data from WMS Activity Track. This job accepts two parameters, “Username” and “Facility”.

The “Username” parameter needs to be a valid WMS user and should be eligible for the company/facility where the schedule job has been configured.

“Facility” parameter is used to identify the facility for which purge is requested. If no value is provided or if the value provided is invalid (No such facility), then current facility is used.

### Purge Process

This process purges data from WMS Activity Track that are older than a specified number of days and are either in SUCCESS or ERROR status.

There are 3 parts to this purge process. The first part mainly focuses on purging records with errors. The following four facility parameters are used for this purge: PURGE\_NUMBER\_OF\_DAYS, PURGE\_UNKNOWN\_SKU, PURGE\_UNKNOWN\_TRANSACTION and PURGE\_UNKNOWN\_USER.

PURGE\_NUMBER\_OF\_DAYS is used to determine how many days worth data needs to be retained in WMS Activity Track Record. PURGE\_UNKNOWN\_SKU, PURGE\_UNKNOWN\_TRANSACTION and PURGE\_UNKNOWN\_USER can accept values Y or N.

- If PURGE\_UNKNOWN\_SKU is set to Y, then records older than PURGE\_NUMBER\_OF\_DAYS from current date, in ERROR status and a value populated in “Unknown SKU Line” field are purged

- If PURGE\_UNKNOWN\_TRANSACTION is set to Y, then records older than PURGE\_NUMBER\_OF\_DAYS from current date, in ERROR status and a value populated in “Unknown Transaction” field are purged
- If PURGE\_UNKNOWN\_USER is set to Y, then records older than PURGE\_NUMBER\_OF\_DAYS from current date, in ERROR status and a value populated in “Unknown User” field are purged.

**Note:** After the WMS WFM DB merge, it is unlikely that there would error-ed records due to unknown user)

The second part of the purge process focuses on records that moved successfully to Track Record. For this purge, only the PURGE\_NUMBER\_OF\_DAYS facility parameter is used. Records older than PURGE\_NUMBER\_OF\_DAYS from current date and in SUCCESS status are purged.

The third part of purge process focuses on invalid data. Records should either have values in Unknown fields or their counterparts. If a record does not have value in both, it is considered to be invalid data. For example, in the table below, rows 1, 2 and 3 represent valid data. Rows 4, 5 and 6 represent invalid data.

No.	Unknown SKU Line	SKU Line Group	Unknown User	User	Unknown Transaction	WMS Transaction
1		SKG1	BCF			Recv LPN
2	ABC			User1		Create LPN
3		SKG2		User2	XYZ	
4				User3		Move LPN
5		SKG3				Repack OBLPN
6		SKG4		User4		

Such invalid records are purged regardless of their status as long as they are older than PURGE\_NUMBER\_OF\_DAYS from current date.

**Note:** It's possible such data may never land into WFM, but this step ensures clearing out any bad data in case it somehow lands in WFM)

**Note:** If the PURGE\_NUMBER\_OF\_DAYS parameter is not provided, the value is defaulted to 30.