Oracle® Fusion Middleware

Oracle Identity Governance Bundle Patch Readme

12c (12.2.1.3.190624)

F19147-03

August 2019

Oracle Identity Governance Bundle Patch Readme

This document is intended for users of Oracle Identity Management 12c (12.2.1.3.190624). It contains the following sections:

- Understanding Bundle Patches
- Bundle Patch Requirements
- · Prerequisites of Applying the Bundle Patch
- Applying the Bundle Patch to an Existing Instance
- · Removing the Bundle Patch
- Applying the Bundle Patch to a New Instance
- Configuring Oracle Identity Governance-Oracle Access Manager Integration (Optional)
- Changes in Track Request Functionality
- IP Filter Related Updates
- Copying the Oracle Identity Governance Reports ZIP Directory
- Internet Explorer 11 Certification
- Major Enhancements in Release 12.2.1.3.180713
- Resolved Issues
- Known Issues and Workarounds
- Related Documents
- Documentation Accessibility

Understanding Bundle Patches

This section describes bundle patches and explains differences between bundle patches, patch set exceptions (also known as one-offs), and patch sets.



- Bundle Patch
- Patch Set Exception
- Patch Set

Bundle Patch

A bundle patch is an official Oracle patch for an Oracle product. In a bundle patch release string, the fifth digit indicated the bundle patch number. Effective November 2015, the version numbering format has changed. The new format replaces the numeric fifth digit of the bundle version with a release date in the form "YYMMDD" where:

- YY is the last 2 digits of the year
- MM is the numeric month (2 digits)
- DD is the numeric day of the month (2 digits)

Each bundle patch includes the libraries and files that have been rebuilt to implement one or more fixes. All of the fixes in the bundle patch have been tested and are certified to work with one another. Regression testing has also been performed to ensure backward compatibility with all Oracle Mobile Security Suite components in the bundle patch.

Patch Set Exception

In contrast to a bundle patch, a patch set exception addressed only one issue for a single component. Although each patch set exception was an official Oracle patch, it was not a complete product distribution and did not include packages for every component. A patch set exception included only the libraries and files that had been rebuilt to implement a specific fix for a specific component.

Patch Set

A patch set is a mechanism for delivering fully tested and integrated product fixes. A patch set can include new functionality. Each patch set includes the libraries and files that have been rebuilt to implement bug fixes (and new functions, if any). However, a patch set might not be a complete software distribution and might not include packages for every component on every platform. All of the fixes in a patch set are tested and certified to work with one another on the specified platforms.

Bundle Patch Requirements

You must satisfy the following requirements before applying this bundle patch:

 Confirm you are applying this bundle patch to an Oracle Identity Governance 12.2.1.3.0 installation.





When installing OPatch, you might find that interim or one off patches have already been installed.

 Download the latest version of OPatch. The OPatch version for this bundle patch is 12.2.1.3.0. However, Oracle recommends using the latest version of OPatch to all customers. To learn more about OPatch and how to download the latest version, refer to the following:

You can access My Oracle Support at https://support.oracle.com.

 Verify the OUI Inventory. To apply patches, OPatch requires access to a valid OUI Inventory. To verify the OUI Inventory, ensure that ORACLE_HOME/OPatch appears in your PATH for example:

```
export PATH=ORACLE_HOME/OPatch:$PATH
```

Then run the following command in OPatch inventory

```
opatch lsinventory
```

If the command returns an error or you cannot verify the OUI Inventory, contact Oracle Support. You must confirm the OUI Inventory is valid before applying this bundle patch.

 Confirm the opatch and unzip executables exist and appear in your system PATH, as both are needed to apply this bundle patch. Execute the following commands:

```
which opatch which unzip
```

Both executables must appear in the PATH before applying this bundle patch.

• Ensure that there are no pending JMS messages in Oracle Identity Governance server. You can monitor JMS messages with WebLogic console.

Applying the Bundle Patch to an Existing Instance

Applying Oracle Identity Governance Release 12.2.1.3.190624 patch is done in the following stages:



Before performing the steps to apply the bundle patch, create a backup of the database, as stated in Prerequisites of Applying the Bundle Patch which will help you rollback to the previous release.



- Stage 1: Patching the Oracle Binaries (OPatch Stage)
- Stage 2: Filling in the patch_oim_wls.profile File
- Stage 3: Patching the Oracle Identity Governance Managed Servers (patch_oim_wls Stage)
- Understanding the Process Sequence With an Example

Stage 1: Patching the Oracle Binaries (OPatch Stage)

This section describes the process of applying the binary changes by copying files to the ORACLE_HOME directory, on which Oracle Identity Governance is installed. This step must be executed for each ORACLE_HOME in the installation topology nodes irrespective of whether Oracle Identity Governance server is being run in the node or not.

Perform the following steps to apply the bundle patch to an existing Oracle Identity Governance instance:

- Stop the Admin Server, all Oracle Identity Governance managed servers, and all SOA managed servers.
- 2. Create a directory for storing the unzipped bundle patch. This document refers to this directory as PATCH TOP.
- 3. Unzip the patch zip file in to the PATCH_TOP directory you created in step 2 by using the following command:

```
unzip -d PATCH TOP p29950141 122130 Generic.zip
```

Note:

On Windows, the unzip command has a limitation of 256 characters in the path name. If you encounter this issue, use an alternate ZIP utility, for example 7-Zip to unzip the zip file.

Run the below command to unzip the file:

"c:\Program Files\7-Zip\7z.exe" x p29950141_122130_Generic.zip

4. Move to the directory where the patch is located. For example:

cd PATCH_TOP/29950141

5. Set the ORACLE_HOME directory in your system. For example:

setenv ORACLE_HOME /u01/Oracle/Middleware



6. Apply the bundle patch to the ORACLE_HOME using the following command for Oracle Identity Governance:

opatch apply

Note

- Ensure the OPatch executables appear in your system PATH.
- If OPatch fails with error code 104, cannot find a valid oralnst.loc file to locate Central Inventory, include the -invPtrLoc argument, as follows:

opatch apply -invPtrLoc ORACLE_HOME/oraInst.loc

When OPatch starts, it will validate the patch and ensure there are no conflicts with the software already installed in the ORACLE_HOME. OPatch categorizes two types of conflicts:

- Conflicts with a patch already applied to the ORACLE_HOME. In this case, stop the patch installation and contact Oracle Support.
- Conflicts with subset patch already applied to the ORACLE_HOME. In this
 case, continue the install, as the new patch contains all the fixes from the
 existing patch in the ORACLE_HOME. The subset patch will automatically be
 rolled back prior to the installation of the new patch.

Note:

For clustered and multi-node installation of Oracle Identity Governance, this step must be run on all the ORACLE_HOME directories on which Oracle Identity Governance is installed.

Stage 2: Filling in the patch oim wls.profile File

Using a text editor, edit the file patch_oim_wls.profile located in the directory ORACLE_HOME/server/bin/ directory and change the values in the file to match your environment. The patch_oim_wls.profile file contains sample values.

Table 1-1 lists the information to be entered for the patch_oim_wls.profile file. This file is used in next stage of the bundle patch process.

Table 1-1 Parameters of the patch_oim_wls.profile File

Parameter	Description	Sample Value
ant_home	Location of the ANT installation. It is usually under MW_HOME.	For Linux: \$MW_HOME/ oracle_common/modules/ thirdparty/org.apache.ant/ 1.9.8.0.0/apache-ant-1.9.8/
		For Windows: %MW_HOME% \oracle_common\modules\third party\org.apache.ant\1.9.8.0.0\ apache-ant-1.9.8\
java_home	Location of the JDK/JRE installation that is being used to run the Oracle Identity Governance domain.	For Linux: \$MW_HOME/ oracle_common/jdk/ For Windows: %MW_HOME% \oracle_common\jdk\
mw_home	Location of the middleware home location on which	For Linux: /u01/Oracle/ Middleware
	Oracle Identity Governance is installed.	For Windows: C:\Oracle\MW_HOME\
oim_oracle_home	Location of the Oracle Identity Governance installation.	For Linux: \$MW_HOME/idm For Windows: %MW_HOME% \idm
oim_username	Oracle Identity Governance username.	System administrator username
oim_password	Oracle Identity Governance password. This is optional. If this is commented out, then you will be prompted for the password when the script is executed.	N/A
oim_serverurl	URL to navigate to Oracle Identity Governance.	t3:// oimhost.example.com:14000
soa_home	Location of the SOA installation.	For Linux: \$MW_HOME/soa For Windows: %MW_HOME% \soa
weblogic.server.dir	Directory on which WebLogic server is installed.	For Linux: \$MW_HOME/ wlserver
		For Windows: %MW_HOME% \wlserver
weblogic_user	Domain administrator user name. Normally it is weblogic, but could be different as well.	weblogic
weblogic_password	Domain admin user's password. If this line is commented out, then password will be prompted.	N/A



Table 1-1 (Cont.) Parameters of the patch_oim_wls.profile File

Parameter	Description	Sample Value
soa_host	Listen address of the SOA Managed Server, or the hostname on which the SOA Managed Server is listening.	oimhost.example.com
	Note : If the SOA Managed Server is configured to use a virtual IP address, then the virtual host name must be supplied.	
soa_port	Listen port of the SOA	8001
	Managed Server, or SOA Managed Server port number.	Only Non-SSL Listen port must be provided.
operationsDB.user	Oracle Identity Governance database schema user.	DEV_OIM
OIM.DBPassword	Oracle Identity Governance database schema password. If this line is commented out, then the password will be prompted when the script is executed.	N/A
operationsDB.host	Host name of the Oracle Identity Governance database.	oimdbhost.example.com
operationsDB.serviceName	Database service name of the Oracle Identity Governance schema/database. This is not the hostname and it can be a different value as well.	oimdb.example.com
operationsDB.port	Database listener port number for the Oracle Identity Governance database.	1521
opss_customizations_present	Enables customizations related to authorization or custom task flow. Set this value to true to enable customization.	true
mdsDB.user	MDS schema user	DEV_MDS
mdsDB.password	MDS schema password. If this line is commented out, then password will be prompted.	N/A
mdsDB.host	MDS database host name	oimdbhost.example.com
mdsDB.port	MDS database/Listen port	1521
mdsDB.serviceName	MDS database service name	oimdb.example.com
wls_serverurl	URL to navigate to WLS Console	t3:// wlshost.example.com:7001



✓ Note:

Updated the parameter value as per the setup used and then execute the patch_oim_wls.sh file.

Stage 3: Patching the Oracle Identity Governance Managed Servers (patch oim wls Stage)

Patching the Oracle Identity Governance managed servers is the process of copying the staged files in the previous steps (stage 1) to the correct locations, and running SQL scripts and importing event handlers and deploying SOA composite. For making MBean calls, the script automatically starts the Oracle Identity Governance Managed Server and SOA Managed Server specified in the patch oim wls.profile file.

This step is performed by running patch_oim_wls.sh (on UNIX) and patch_oim_wls.bat (on Microsoft Windows) script by using the inputs provided in the patch_oim_wls.profile file. As prerequisites, the WebLogic Admin Server, SOA Managed Servers, and Oracle Identity Governance Managed Server must be running.

To patch Oracle Identity Governance Managed Servers on WebLogic:

- Make sure that the WebLogic Admin Server, SOA Managed Servers, and Oracle Identity Governance Managed Server are running.
- 2. Set the following environment variables:

For LINUX or Solaris:

```
setenv PATH $JAVA_HOME/bin: $PATH
```

For Microsoft Windows:

```
set JAVA_HOME=VALUE_OF_JAVA_HOME
set ANT_HOME=\PATH_TO_ANT_DIRECTORY\ant
set ORACLE_HOME=%MW_HOME%\idm
```



Note:

Make sure to set the reference to JDK binaries in your PATH before running the patch_oim_wls.sh (on UNIX) or patch_oim_wls.bat (on Microsoft Windows) script. This JAVA_HOME must be of the same version that is being used to run the WebLogic servers. The JAVA_HOME version from /usr/bin/ or the default is usually old and must be avoided. You can verify the version by running the following command:

java -version

3. Execute patch_oim_wls.sh (on UNIX) or patch_oim_wls.bat (on Microsoft Windows) to apply the configuration changes to the Oracle Identity Governance server. On Linux systems, you must run the script in a shell environment using the following command:

sh patch_oim_wls.sh

Note:

For EDG implementations, this script must be run against the mserver domain directory rather than the server domain directory.

4. Delete the following directory in domain home:

IAMGovernanceDomain/servers/oim_server1/tmp/_WL_user/oracle.iam.console.identity.self-service.ear V2.0

Here, oim server1 is the weblogic manged server used for OIG.

5. To verify that the patch_oim_wls script has completed successfully, check the ORACLE_HOME/idm/server/bin/patch_oim_wls.log log file.



Note:

 On running the patch_oim_wls script, the \$DOMAIN_HOME/servers/ MANAGED_SERVER/security/boot.properties file might be deleted.
 If you use a script to start the Managed Server and use the boot.properties file to eliminate the need of entering the password in the script, then create a new boot.properties file.

In an EDG environment, the boot.properties file is in MSERVER_HOME/servers/MANAGED_SERVER/security.

Ignore the following exception traces in the patch_oim_wls.log file:

```
[java] Aug 11, 2015 3:45:28 AM
oracle.jdbc.driver.OracleDriver registerMBeans
    [java] WARNING: Error while registering Oracle JDBC
Diagnosability MBean.
    [java] java.security.AccessControlException: access
denied (javax.management.MBeanTrustPermission register)
    [java] at
java.security.AccessControlContext.checkPermission(AccessControlContext.java:374)
```

- **6.** Stop and start WebLogic Admin Server, SOA Servers, and Oracle Identity Governance Servers.
 - Shutting down Oracle Identity Governance server might take a long time if it is done with force=false option. It is recommended that you force shutdown Oracle Identity Governance server.
 - The patch oim wls script is re-entrant and can be run again if a failure occurs.

Understanding the Process Sequence With an Example

If you have ORACLE_HOME_A and ORACLE_HOME_B, and ORACLE_HOME_A is running WebLogic Admin Server, oim_server1, and soa_server1, and ORACLE_HOME_B is running oim_server2 and soa_server2, then the following is the process sequence to apply the bundle patch to the Oracle Identity Governance instance:

- 1. Shutdown the Oracle Identity Governance, and ensure that the WebLogic Admin Server and SOA managed servers are running.
- 2. Run 'Opatch apply' on ORACLE_HOME_A. See Stage 1: Patching the Oracle Binaries (OPatch Stage) for more information.
- 3. Run 'Opatch apply' on ORACLE_HOME_B. See Stage 1: Patching the Oracle Binaries (OPatch Stage) for more information.
- 4. Fill-in the patch_oim_wls.profile file and run patch_oim_wls on ORACLE HOME A or ORACLE HOME B.



See Stage 2: Filling in the patch_oim_wls.profile File for information on filling in the patch_oim_wls.profile.

See Stage 3: Patching the Oracle Identity Governance Managed Servers (patch_oim_wls Stage) for information about running patch_oim_wls.

5. Restart the managed servers on all the nodes.

Removing the Bundle Patch

If you must remove the bundle patch after it is applied, then perform the following steps:



For clustered installations, perform steps 1 through 3 on all nodes in the cluster.

- Perform the same verification steps and requirement checks that you made before applying the bundle patch. For example, backup the XML files and import them to a different location, verify the OUI Inventory and stop all services running from the ORACLE HOME.
- 2. Move to the directory where the bundle patch was unzipped. For example:

```
cd PATCH_TOP/29950141
```

3. Run OPatch as follows to remove the bundle patch:

```
opatch rollback -id 29950141
```

- 4. Restore ORACLE_HOME, the WebLogic domain home from the backup created before applying the patch.
- 5. Restore the Oracle Identity Governance database using the backup you created in Step 1 of Applying the Bundle Patch to an Existing Instance.

Applying the Bundle Patch to a New Instance

Perform the following steps to apply the bundle patch to a new instance:

- Installing a New Oracle Identity Governance Instance with Bundle Patch 12.2.1.3.190624
- Postinstallation Configuration
- Updating Oracle Identity Governance Web Applications



Installing a New Oracle Identity Governance Instance with Bundle Patch 12.2.1.3.190624

Perform the following steps to apply the bundle patch to a new Oracle Identity Governance instance. You can perform the same steps for clustered deployments.



For clustered deployments, perform the steps provided in this section on each node in the cluster.

1. Install Oracle WebLogic Server. See *Installing and Configuring Oracle Identity and Access Management* at the following URL:

https://docs.oracle.com/en/middleware/idm/suite/12.2.1.3/inoam/index.html

- 2. Create the Oracle Identity Governance database schema. See *Installing and Configuring Oracle Identity and Access Management*.
- 3. Install SOA and Oracle Identity Governance. See *Installing and Configuring Oracle Identity and Access Management*.
- 4. Apply patch using Opatch, as described in Stage 1: Patching the Oracle Binaries (OPatch Stage).



If you are creating a new environment, then it is recommended that this step is performed before creating or extending the domain with Oracle Identity Governance.

- **5.** Create domain by launching configuration wizard as specified in the *Installing and Configuring Oracle Identity and Access Management*.
- **6.** Before starting the WebLogic Admin Server and SOA Server on Microsoft Windows, edit the startWeblogic.cmd file, and replace:

```
call "%COMMON_ORACLE_HOME%\bin\wlst.cmd"
%COMMON_ORACLE_HOME%\tools\configureSecurityStore.py -d
%DOMAIN HOME% -m validate
```

With the following:

```
call "FULL_PATH_TO_WLST_SCRIPT\wlst.cmd"
%COMMON_ORACLE_HOME%\tools\configureSecurityStore.py -d
%DOMAIN HOME% -m validate
```



Here, an example for *FULL_PATH_TO_WLST_SCRIPT* can be MW HOME\oracle common\common\bin\.

- Start the WebLogic Admin Server and SOA Server.
- 8. Use Oracle Universal Installer to configure Oracle Identity Governance by running config.sh.
- 9. Stop and restart the WebLogic Admin Server and SOA Server.
- **10.** Fill in the patch_oim_wls.profile file by referring to Stage 2: Filling in the patch_oim_wls.profile File.
- 11. Run patch_oim_wls.sh (on UNIX) and patch_oim_wls.bat (on Microsoft Windows) to complete patching the domain. This step must be run on the ORACLE_HOME directory of the Oracle Identity Governance Managed Server. For more information, see Stage 3: Patching the Oracle Identity Governance Managed Servers (patch_oim_wls Stage).

Note:

Before running the patch_oim_wls script, make sure that WebLogic Admin server and SOA servers are in running state.

12. Stop and restart the WebLogic Admin Server, SOA Server, and Oracle Identity Governance server.

Postinstallation Configuration

After installing a new Oracle Identity Governance instance with Bundle Patch 12.2.1.3.190624, perform the following post installation configuration steps:

- Perform the following steps to seed the event handler for Application Onboarding:
 - 1. Go to, MW_HOME/idm/server/apps/oim.ear/APP-INF/lib/.
 - 2. Locate BootStrapListener.jar. Copy the BootStrapListener.jar file to a temporary folder, for example temp_AoB. Extract the jar files and locate aob_adapters.xml file in the BootStrapListener.jar/scripts/folder.

Note:

The jar file can be extracted using compression tool such as Zip,7–Zip or by using jar command jar -xvf.

- 3. Copy the aob_adapters.xml file to a local folder.
- 4. Using the Import option in Identity System Administration interface, import the aob adapters.xml file into Oracle Identity Governance.

For detailed steps for importing objects into Oracle Identity Governance, see Importing Deployments in Administering Oracle Identity Governance.



5. Remove the temporary folder temp_AoB.

Updating Oracle Identity Governance Web Applications

The procedure described in this section is applicable only when installing bundle patches for Oracle Identity Governance and not for installing patch set updates.

For updating your web applications on Oracle WebLogic Server:

- Stop Oracle Identity Governance Managed Server.
- 2. Login to WebLogic Administrative Console.
- Click Lock & Edit.
- 4. Go to **Deployments**.
- Select the oracle.iam.ui.view and oracle.iam.ui.model app, and click Update.
 Complete the steps of the wizard by clicking Next. Do not change anything.
- 6. Click Apply Changes.
- 7. Start Oracle Identity Governance Managed Server.

Prerequisites of Applying the Bundle Patch

Before applying the bundle patch, perform the following prerequisites:

- This patch process makes changes to Oracle Identity Governance database schema (such as adding/modifying data), Oracle Identity Governance Meta Data Store (MDS) database schema (such as adding/modifying data), domain configuration changes, and other binary changes in the file system under ORACLE_HOME on which Oracle Identity Governance is installed. It is mandatory to create a backup of the following:
 - Oracle Identity Governance, MDS, and Service-Oriented Architecture (SOA)
 database schemas. For example, the database schema can be DEV_OIM,
 DEV_MDS schemas used by Oracle Identity Governance. Simple export of the
 schemas is sufficient.
 - The ORACLE_HOME directory on which Oracle Identity Governance is installed, for example, /u01/Oracle/Middleware.
 - Oracle Identity Governance WebLogic Domain location, for example, /u01/ Oracle/Middleware/user_projects/domains/IAMGovernanceDomain/.
 - The UNIX user applying opatch must have read, write, and execute permissions on both ORACLE_HOME as well as WEBLOGIC_DOMAIN_HOME. You can verify this manually in the file system for DOMAIN HOME and ORACLE HOME.
- If you have customized the event handler file metadata/iam-features-configservice/ event-definition/EventHandlers.xml in your setup, then perform the following steps to ensure that the upgrade does not override any customization done to this file:
 - Export the metadata/iam-features-configservice/event-definition/ EventHandlers.xml file from MDS, and create a backup of this file.



2. After upgrading and running all the post install steps, export the new metadata/iam-features-configservice/event-definition/EventHandlers.xml file, merge your customization to this new file, and import it back to MDS.



For more information on MDS Utilities, see MDS Utilities and User Modifiable Metadata Files.

Configuring Oracle Identity Governance-Oracle Access Manager Integration (Optional)

This bundle patch release supports integration of Oracle Identity Governance (OIG) and Oracle Access Manager (OAM) using Connectors. For more information see, Integrating Oracle Identity Governance and Oracle Access Manager Using LDAP Connectors in Integration Guide for Oracle Identity Management Suite.

Changes in Track Request Functionality

Track Request functionality will change after this Bundle Patch is applied.

When a user performs a search in Self Service tab, Track Requests page, and in the search result table, applies Show list option as **For Reportees**, all the requests raised by or for the logged in user and user's direct and indirect reportee are displayed.

In the search result table, user has to select a Show list option and click **Search**. Oracle Identity Governance will not trigger a search action until user clicks on **Search**.

IP Filter Related Updates

IP Filter (IPF) related updates are not part of the Oracle Identity Governance bundle patch release. For instructions on how to download and applying the IPF one-off bundle patch, see My Oracle Support document ID 2383246.1.

Copying the Oracle Identity Governance Reports ZIP Directory

Under the Request Summary page of BIP reports URL, when the Request Type is Revoke Entitlement with request start date and request end date, the Request Details column shows the entitlement number instead of the entitlement name. This issue has been fixed (bug 25695572) in this bundle patch. For the bug fix 25695572 to work:

Manually copy the contents of \$PATCH DIRECTORY/files/oracle.oim.server/12.2.1.3.0/



oracle.oim.symbol/server/reports/oim_product_BIPReports_12c.zip/* directory to the \$BI_DOMAIN_HOME/bidata/components/bipublisher/repository/Reports/ directory.

2. Restart the BI server.

Internet Explorer 11 Certification

Oracle Identity Governance 12c (12.2.1.3.190624) is certified with Microsoft Internet Explorer 11. To use Oracle Identity Governance with Internet Explorer 11, download and apply ADF patch 29620828 from My Oracle Support web site at:

https://support.oracle.com

For information about this patch, see Tech Note *OIG 12c certification with IE11 browser (Doc ID 2556385.1)* at My Oracle Support web site at:

https://support.oracle.com

Major Enhancement in Release 12.2.1.3.190109

The following are the major enhancements up to Release 12.2.1.3.190109:

- Major Enhancements in Release 12.2.1.3.190109
- Major Enhancements in Release 12.2.1.3.180713

Major Enhancements in Release 12.2.1.3.190109

A new parameter, *opss_customizations_present* is introduced which controls the seeding of data from *jazn-data.xml* to OPSS database through post patch automation script. The default value of this parameter is false. If this parameter is set to false, then data from *jazn-data.xml* in the Bundle Patch is seeded to the OPSS database through post patch automation script.

If the environment contains customizations to workflows or custom task flows, then set the value of *opss_customizations_present* to true and then, manually seed the data from *jazn-data.xml* into OPSS database. For instructions see, My Oracle Support document ID 2472116.1.

Major Enhancements in Release 12.2.1.3.180713

In the Self Service Roles page, when you create a UDF to add a Checkbox type attribute in the Catalog Attributes tab, the Apply button is enabled when navigating between the attributes tab of the role. To overcome this issue, a new change listener catRegBean.checkBoxChangeListener is introduced in this bundle patch release.

Resolved Issues



The following section lists the issues resolved in Release 12.2.1.3.190624:

- Resolved Issues in Release 12.2.1.3.190624
- Resolved Issues in Release 12.2.1.3.190109
- Resolved Issues in Release 12.2.1.3.180920
- Resolved Issues in Release 12.2.1.3.180713
- Resolved Issues in Release 12.2.1.3.180413
- Resolved Issues in Release 12.2.1.3.180109

Resolved Issues in Release 12.2.1.3.190624

Applying this bundle patch resolves the issues listed in Table 1-2.

Table 1-2 Resolved Issues in Release 12.2.1.3.190624

Bug Number	Description
25695572	ENTITLEMENT NAME IS MISSING IN REQUEST SUMMARY REPORT FOR REVOKE ENTITLEMENT TYPES Note: See Copying the Oracle Identity Governance Reports ZIP Directory for information about copying the Oracle Identity Governance reports ZIP file for the bug fix to work.
26135785	NOTIFICATION TEMPLATE SHOULD SUPPORT EMAIL TEXTS OF SIZE > 4000
27601939	DIAG: LOGGING FOR OIM SERVER DOES NOT START UP BECAUSE OF INVALID CREDENTIALS
27738259	AFTER APPLYING PATCH 22005210 DATA IN HISTORY TAB SHOWS ESCAPING CHARS
27810515	LINKS IN OIM APPROVAL EMAILS NOT WORKING
28144322	DIAG: UPLOADJAR SHOULD THROW CORRECT ERROR INSTEAD OF NPE
28144399	DIAG: DOWNLOADJARS SHOULD THROW CORRECT ERROR INSTEAD OF NPE
28201867	DELETING APPINSTANCE DELETES ROLES THAT SHARE ENTITY_KEY WITH ENT DELETED
28222151	DIAG: NEED DIAGNOSTIC IN ICFCOMMON CONFIGURATION SETUP
28527669	DC FAILED TO CREATE RECON PROFILE:ATTRIB NOT PRESENT IN ENTITYDEFINITION OF USER
28553584	DIAG: IMPROVE THE MESSAGE TO PROVIDE MORE USEFUL DATA
28577886	INCREASE FIELD LENGTH OF SCHEMA ATTRIBUTE FOR AN APPLICATION
28642312	LOADFROMURL TAG IS NOT WORKING FOR TEST CONNECTION IN AOB TEMPLATE
28650960	CERTIFYING 20K USERS WITH 20K ACCOUNTS AND 100K ENTITLEMENTS FAILS



Table 1-2 (Cont.) Resolved Issues in Release 12.2.1.3.190624

Bug Number	Description
28674046	REVOKE MANUAL FULFILLMENT TASKS ARE TRIGGERING MULTIPLE TIMES
28674152	DEPLOYMENT MANAGER ISSUE IMPORTING HUGE DATA
28715293	MINIMUM CHALLENGE QUESTIONS ERROR IS NOT LOCALIZED
28737144	OIM 12C -IT RESOURCE VALUES ENCRYPTED AFTER EXPORTING AOB APP INSTANCE FROM DM
28770544	CUSTOM UI CALL TO CREATE-USER-TF DOES NOT RETURN TO CALLING PAGE CORRECTLY
28777965	Fix for Bug 28777965
28872568	ORGANIZATIONS CREATED IN OIM DO NOT SHOW AS AN ATTRIBUTE IN OUD
28879742	REVOKE FUTURE_GRANT ENTITLEMENTS FAILS IN OIG 12C WITH OID 12C AOB CONNECTOR
28939483	IMPROPER ERROR MESSAGES IN LDAP CREATE/DELETE/ MODIFY ORCHESTRATION HANDLERS
28992260	EXCEPTION RAISED DURING ROLE PROVISIONING WHEN ENTITLEMENTS HAVE SIMILAR NAMES
29012343	REST API RETURNS WRONG ENTITYID FOR ENTITLEMENT IN REVOKE ENTITLEMENT REQUEST
29029439	USER SEARCH FAILS WITH ERROR "EXCEEDED MAXIMUM VARRAY LIMIT"
29217761	MEMORY LEAK WHEN CALLING PROVISIONINGSERVICE.GETACCOUNTSPROVISIONEDTOUSE R() API
29260747	ROLE HISTORY TAB SHOWS ESCAPING CHARS
29351177	ENTITLEMENT CERTIFICATION WITH CRITERIA: INDEXOUTOFBOUNDSEXCEPTION: INDEX: 0, SIZE: 0
29390412	RE-CREATE ROLE FAILURE IN OIM/OAM INTEGRATED ENVIRONMENT
29409849	FUTURE DATED USER CAN NOT BE PROVISIONED FUTURE DATED ROLE
29753875	FUTURE ROLE GRANT START DATE CANNOT BE MODIFIED TO CURRENT FOR DISABLED UNTIL START DATE USER

Applying this bundle patch resolves the issues listed in Table 1-3:



Table 1-3 Resolved Issues in Release 12.2.1.3.190109

Bug Number	Description
26556110	PROCESS TASK EMAIL NOTIFICATION RESPONSE CODE AND RESPONSE DESCRIPTION NOT MATCH
26860614	Fix for Bug 26860614
26935701	USER CERTIFICATION REVOKED ACCOUNTS SHOULD NOT BE SHOWN
27337702	OIM_ORACLE_HOME/SERVER/PLATFORM/ DIRECTORY MISSING FROM 12C BINARY
27479814	TARGET ACCOUNT SELECTION LIMITED TO 300 VALUES
27486132	BACKPORT OF 25948984 TO PS3
27498869	FETCHED SIZE UPDATE BREAKS ADDING MEMBERS TO ROLE
27607542	UDF DISAPPEAR FROM CERTIFICATION USER CRITERIA
27624103	SPMLWS DISCLOSES PASSWORD OF USER RESET IN AD INCASE OF SUCESS/ FAILURE
27675628	CREATING USERS WITH SCIM IN POPULATED ORGANIZATIONS TAKE A LONG TIME
27733085	MEMBERSHIP RULE UI SUPPORT FOR LOGICAL OPERATORS SUPPORTED BY JAVA API
27763398	STRESS:OIM SQLEXCEPTION SEEN WHILE APPROVING MODIFY ROLE REQUEST
27806960	PERFORMANCE ISSUE ON ORGANIZATION TAB
27828814	"APPLY" BUTTON GETTING ENABLED THOUGH NO CHANGES DONE TO ROLE ATTRIBUTES
27931832	THE LOGGED-IN USER 1 DOES NOT HAVE ADDROLEMEMBERSHIPS PERMISSION ON ROLE
27986715	MULTIPLE CHANGE TASKS ARE GETTING TRIGGERED INSTEAD OF ONE CHANGE TASK
28056465	WITHDRAWING A PARENT REQUEST OF THE HETEROGENOUS REQUEST
28142729	ORA-00917: MISSING COMMA AFTER APPLYING PATCH 26165573 MONTHS AGO
28238704	SECURITY ANSWERS ARE ALLOWED DUPLICATE WHEN "ALLOW DUPLICATE RESPONSE" UNCHECKED



Table 1-3 (Cont.) Resolved Issues in Release 12.2.1.3.190109

Bug Number	Description
28297906	ROLE NOT ADDED BY MEMBERSHIP RULE AFTER BEING REMOVED.
28316082	MYINFO_SAME_VALUE_MODIFY NOT CUSTOMIZABLE
28354933	STEPS TO ROLLBACK BUG 27098131 - ENTITLEMENTS OUTSIDE ROLES OPTION NOT SHOWING
28366280	WHEN A USER IS CREATED, OIM DOES NOT ASSIGN ROLE TO USER WITH RULE MEMBERSHIP
28369024	BOOTSTRAP FAILURE, ORA-00942
28542619	CONNECTION LEAK IN DOBPROVISIONINGUTIL.POPULATEENTITL EMENTINSTANCES IN 12CPS3
28891498	PROBLEM REVOKING ACCOUNT WITH REJECTED TASKS
28961310	ADVANCED ROLE SEARCH GIVING INCORRECT RESULTS WITH LATEST PATCH
29006080	CHANGE IN ROLE ASSIGNMENT BEHAVIOR FROM BUG 28366280
29044105	ALL USERS UNDER CHILD ORGANIZATION NOT RETRIEVED WITH SCIM

Applying this bundle patch resolves the issues listed in Table 1-4:

Table 1-4 Resolved Issues in Release 12.2.1.3.180920

Bug Number	Description
26418875	GETTING INCORRECT OUTPUT FOR PROCESS RESPONSE DESC VALUE IN EMAIL NOTIFICATION
26663859	USER CERTIFICATION FAILS WITH NPE WITHOUT CREATING ANY TASKS
26670135	ACCOUNTS IN WAITING STATUS CAUSE IDA SCAN "ORA-00903: INVALID TABLE NAME" ERROR
26785853	REQUESTS ARE GOING IN TO POST OPERATION PROCESSING INITIATED STATUS



Table 1-4 (Cont.) Resolved Issues in Release 12.2.1.3.180920

Bug Number	Description
26865173	TARGET TRUSTED RECON FAILED WITH OOTB TIME ZONE ATTRIBUTE
26935680	CREATE USERS CERTIFICATION TASKS FOR THOSE USERS WITH DISABLED MANAGER
26957145	Fix for Bug 26957145
27024554	IDENTITY AUDIT SCAN PICKING DISABLED POLICIES
27241253	OIM USERS PAGE DOES NOT REFRESH PROPERLY WHEN USING COLUMN SORT AND ADVANCING
27302510	OST_KEY IS WRONGLY MAPPED AFTER AD TARGET RECON UPDATE
27311536	Fix for Bug 27311536
27581965	MERGING 27282628 TO MAIN - STARTSOA3_R1 BLOCK SPRING JARS ISSUE
27617132	ACCOUNT CERTIFICATION DEFAULT SORTING IS NOT ALPHABETICAL
27624252	JBO-25020 ERROR WHEN TRYING TO SEARCH FOR AN ENTITLEMENT IN THE CATALOG
27626291	ERROR CLASSNOTFOUNDEXCEPTION DURING EXECUTION OF CUSTOM PLUGINS
27629691	UNNECESSARY UPDATE PROVISIONING TASKS ARE BEING TRIGGERED FOR DISCONNECTED APP
27656612	CONNECTION LEAK IN ORACLE.IAM.PROVISIONING.SCHEDULETA SKS.USERPROCESSTHREAD . <init< td=""></init<>
27712069	MULTIPLE REDUNDANT CALLS TO OIM EJBS DURING LOAD OF MY INFORMATION PAGE
27771411	AOB: NO VALIDATION CHECK FOR UDF EXISTENCE AGAINST THE ATTRIBUTE USIND IN ICR
27777600	MANUAL FULLFILMENT IS NOT GETTING TRIGGERED FOR ENTITLEMENT VIA ACCESS POLICY
27779926	PROVISIONING DOES NOT WORK AFTER ACCOUNT WAS REVOKED TWICE



Table 1-4 (Cont.) Resolved Issues in Release 12.2.1.3.180920

Bug Number	Description
27817160	COM.THORTECH.XL.DATAACCESS.TCDATA SETEXCEPTION COLUMN 'UD_XXX' NOT FOUND
27833180	USER CERTIFICATION LAST DECISION REVOKED
27860018	BULK LOAD ROLEMEMBERSHIP SHOWING ZERO RECORDS PROCESSED EVEN THOUGH SUCCESSFULLY
27920700	Fix for Bug 27920700
27927397	PROVISIONING ENGINE FAILS TO PROCESS USER ATTRIBUTE CHANGE
28031831	AOB:APP CREATION FAILING ON MAPPING SAME ID ATT TO MULTIPLE ACCOUNT ATT
28155722	VALUES ARE NOT REFRESHED CORRECTLY IN "DETAILED INFORMATION" TAB
28186972	COLUMN USR_AUTOMATICALLY_DELETE_ON IS NOT CLEARED AFTER ENABLING THE USER
28239186	AOB:UPGRADE- INCORRECT MASTER TEMPLATE STORED IN CASE OF MULTIPLE TEMPLATES
28377433	AOB: AUDIT DATA NOT GETTING GENERATED FOR ANY OPERATION PERFORMED AGAINST APP
28433832	PROCESS TASKS ARE NOT TRIGGERED WHEN THERE ARE DUPLICATE ENTRIES IN LOOKUP

Applying this bundle patch resolves the issues listed in Table 1-5:

Table 1-5 Resolved Issues in Release 12.2.1.3.180713

Bug Number	Description
27000479	JAVA.LANG.NOCLASSDEFFOUNDERROR: COM/ORACLE/OIM/GCP/ RESOURCECONNECTION/RESOURCECO
27067961	ENTITLEMENTS OUTSIDE ROLES OPTION NOT WORKING WITH DISPLAYNAME TRAILING SPACES



Table 1-5 (Cont.) Resolved Issues in Release 12.2.1.3.180713

Bug Number	Description
27078300	ENTITLEMENTS OUTSIDE ROLES CERT OPTION NOT TAKING INTO ACCOUNT INDIRECT ROLES
27098131	ENTITLEMENTS OUTSIDE ROLES OPTION NOT SHOWING APPLICATION INSTANCE
27100241	UNABLE TO DISPLAY DATA IN THE INFORMATION WINDOW
27177740	CLEAR TEXT PASSWORD CAUSING SRGSECCHECK/PSWDCHECK DIF (40+)
27181614	SCIM - CREATE USER FAILS IF ACTIVE ATTRIBUTE IS INCLUDED IN THE REQUEST
27196097	ROLE HIERARCHY TAB NOT SHOWING ALL PARENT ROLES
27273838	ROLE CAN'T BE ASSIGNED TO A DISABLED USER, IF UNCHECK GRANT DURATION CHECKBOX
27350190	ADD CONNECTOR VERSION PARAMETER TO AUTOMATION SCRIPT
27366933	REGRESSION FOR BUG 27040809
27423854	INCORRECT DEFAULT LOCATION OF CONNECTOR BUNDLE IN SSOINTG-CONFIG.PROPERTIES
27423992	SSOINTG-CONFIG.PROPERTIES SHOULD BE IGNORED WHEN RUNNING A SINGLE COMMAND
27438385	BI REPORT ORPHANED ACCOUNT SUMMARY NOT WORKING
27439501	PREUPGRADE ADMIN USERS UNABLE TO EDIT IT RESOURCES AFTER UPGRADE
27466871	ATTRIBUTE MODIFICATION INCONSISTENT FOR MYPROFILE AND USERS SECTION
27558461	OIM UNEXPECTED REVOKE ROLES
27564325	REGRESSION FOR PSE 27542629 FOR BASE BUG 27139050 ON TOP OF 11.1.2.3.170718OIMBP
27567365	CONFIGURELDAPCONNECTOR.SH FAILS - INVALID VERSION
27567443	ERROR IAM-3040026 OCCURES WHENEVER THE CHOOSEN QUESTIONS IS INTERNATIONALIZED
27617274	PARAMETER OIM_SERVER_NAME MISSING IN CONFIG FILE



Table 1-5 (Cont.) Resolved Issues in Release 12.2.1.3.180713

Bug Number	Description
27626487	NO ATTRIBUTE ORACLECONTEXT IN AD SHOULD NOT BE AN ERROR
27638151	ADDMISSINGOBJECTCLASSES HAS NO CONFIG FILE AND ASSUMES CONNECTION PARAMETERS
27638236	CONFIGURESSOINTEGRATION FAILS - COMMAND NOT FOUND
27697060	NO ATTRIBUTE SYSTEMIDPOLICY IN AD SHOULD NOT BE AN ERROR
27712164	OIM-OAM: IDM STAGE 8 SHIPHOME CAN NOT RUN OIGOAMINTEGRATION.SH
27719473	CONFIGURESSOINTEGRATION DOES NOT RETURN WRONG STATUS WHEN IDENTITY SERVER DOWN
27762094	WEBLOGIC_IDM DID NOT ADD IN IDM ADMINISTRATORS GROUP WHEN PREPAREIDSTORE FOR AD
27772143	ICONS MISSING FROM UI CONSOLE
27799154	OIM_SERVER_NAME VALUE IS NOT EFFECTIVE
27806091	OIM-OAM-AD: CONFIGURELDAPCONNECTOR FAILED WITH FILENOTFOUNDEXCEPTION
27939257	USRPROCESSTRIGGER IS GETTING NULL POINTER EXCEPTION

Applying this bundle patch resolves the issues listed in Table 1-6:

Table 1-6 Resolved Issues in Release 12.2.1.3.180413

Bug Number	Description
25323654	AOB: TEST CONNECTION IS SUCCESS EVEN IF INVALID VALUES IN BASIC CONFIG
25996056	NOTSERIALIZABLEEXCEPTION EXCEPTIONS BEING LOGGED WHEN ACCESSING WORKFLOW



Table 1-6 (Cont.) Resolved Issues in Release 12.2.1.3.180413

Bug Number	Description
26165573	EXTENSION TO THE FOLLOWING BUG
	25727240 (REFRESH MATERIALIZED VIEW)



For manual steps on how to apply changes done for Bug Fix 2616557 3, see My Oracle Support documen t ID 2383245. 1.

26186971	Fix for Bug 26186971
26188366	Fix for Bug 26188366
26288324	THE ENTITLEMENT GETPROVISIONED EVEN IF GRANT END DATE IS PASSED AT APPROVE TIME
26427097	DELETING APP INSTANCE RESULTS IN JAVA.LANG.STRINGINDEXOUTOFBOUNDS EXCEPTION
26474713	AOB: PROVIDE FEATURE TO ADD NEW CONFIGURATION PROPERTIES IN ADVANCED SETTINGS
26500524	AOB: SAP AC UM AND UME FORM FIELDS ARE UPDATED BLANK AFTER RUN USER RECON
26522972	AOB: REVOKE ACCOUNT IS NOT WORKING IN SAP AC UM & UME
26616250	TARGET USER RECON IS FAILING FOR CI BASED INSTALLATION
26681376	PUBLISH IN TOP AND SUB ORGANIZATIONS BY OIM API IS TAKING LONG TIME



Table 1-6 (Cont.) Resolved Issues in Release 12.2.1.3.180413

Bug Number	Description
26729272	NOTSERIALIZABLEEXCEPTION RETURNVALUEROW WHILE EDIT WORKFLOW RULES IN OIM CLUSTER
26932665	DEPENDENT REQUEST DETAILS NOT VISIBLE DUE TO SCROLLBAR MISSING
26967104	AOB: DISPLAY NAME OPTION NOT COMING WHILE ADDING NEW ADVANCED CONFIG ATTRIBUTE
26967178	AOB: OPTION NOT COMING TO ADD ADV CONFIG ATTRIBUTE IF NO ATT EXISTS IN TEMPLATE
26982896	MANAGER INFORMATION SHOWING BLANK IN USER CERTIFICATION ON THE UI
27025473	LIGHT WEIGHT AUDIT PUREGE - REMOVE AUDIT LOG ENTRIES JOB IS RUNNING TOO LONG
27026427	KSS NOT UPDATED FROM DEFAULT- KEYSTORE.JKS BREAKS JWT
27113693	UPGRADE ASSISTANT READINESS CHECK FAILED DUE TO OIM 11.1.1.3.0 TEMPLATE
27119830	RECONFIG DOMAIN DOESN'T TAKE OIM 11.1.1.X VERSION APPS INTO CONSIDERATION
27145500	ERROR DUE TO CHANGES IN "SOAOIMLOOKUPDB" DATASOURCE IN 12CPS3
27166581	RESOURCE HISTORY SHOWS INCORRECT ENTITLEMENT NAME AFTER BP 26858666 (OCT-17)
27168000	LIBRARY ORACLE.IDM.IPF WAS TARGETED TO OIM AND SOA CLUSTER INSTEAD OF ADMINSERVE
27200817	SEARCH SELECTIONS DO NOT WORK FOR CREATE/MANAGE USER IF CLICK BACK TO USERS LIST
27279346	AOB: APPLICATION CREATION FAILING WITH USER NOT HAVING SYSTEM ADMIN PERMISSION
27384225	AFTER APPLYING OCTOBER BP POLICY VIOLATIONS IS NOT DETECTING ANY VIOLATIONS
27510030	POLICY VIOLATION NOT THROWN FOR DISABLED ACCOUNT



Table 1-6 (Cont.) Resolved Issues in Release 12.2.1.3.180413

Bug Number	Description
27564429	AOB: SAP UM USER DELETE RECON IS NOT WORKING IN 12C WITH LATEST BP
27567130	CONFIGURELDAPCONNECTOR.SH FAILS

Applying this bundle patch resolves the issues listed in Table 1-7.

Table 1-7 Resolved Issues in Release 12.2.1.3.180109

Bug Number	Description
23110063	IMPLEMENTATION OF BULK ATTRIBUTES UPDATE FOR AN ACCOUNT IMPACTS OTHER ACCOUNTS
23337308	CERTIFICATION COLUMN NAME "CREATED BY" AND "UPDATED BY" DISPLAYS USR_KEY
25540355	PS3PARITY:"USER TYPE" VALUE DOESN'T GET SELECTED ON FIRST ATTEMPT
26164709	LOG4J.JAR NOT UPDATED IN SETENV.BAT
26434476	WAITING ON ENTITLEMENT STATUS, PATCH 25292874
26592805	USERS SHOULD NOT BE ABLE TO REVOKE ENT THAT IS PART OF ROLE FROM THEIR MY ACCESS
26615293	SEARCH ON CERTIFICATION DEFINITION CONTENT SELECTION PAGE RETURNS ONLY 28 ROLES
26625354	CERTIF ROLE POLICY TAB CATALOG INFO ENTITLEMENT URL SHOW NO ENTITLEMENT DETIALS
26639196	REPLACE EXISTING SEARCH IN CERT. DEF FLOW RESULTS IN ERROR PAGE AND NPE
26732357	CERTIFCATION RESET STATUS CAUSING NPE
26808282	DATASOURCE CONNECTION LEAK AFTER BUG 20293874
26811926	LIBRARIES FOR MANAGED BEANS AND TASK FLOWS ARE MISSING IN 12C
26863966	SEARCH RETURNS REQUESTS FOR REPORTEES AND NON-REPORTEES FOR R2PS2



Table 1-7 (Cont.) Resolved Issues in Release 12.2.1.3.180109

Bug Number	Description
26895672	OAM_OIM_OVD_OID_UPG: USER CREATION IS FAILED
27025966	THIS IS THE TRACKER BUG FOR EPIC OIM-11380
27037128	Fix for Bug 27037128
27110896	BE CONSISTENT WITH SPECIFYING PARAMETERS IN OAM/OIM INTEGRATION
27112593	ERROR WHEN GETTING CONNECTOR SERVER DETAILS BY NON SYSTEM ADMINISTRATOR
27119849	NLS : ISSUE WHILE SETTING CHALLENGE QUESTIONS WHEN FIRST LOGIN
27133948	OIM-OAM-OUD: ADMIN FAILED TO UNLOCK A SELF LOCKED ACCOUNT
27139528	Fix for Bug 27139528
27175826	OIM-OAM-AD: CONFIGURELDAPCONNECTOR FAILED CONNECTOR PACKAGE IS NOT AVAILABLE
27203691	OIM-OAM-OUD: SSO GROUP MEMBERSHIP INCREMENTAL RECONCILIATION DO NOT WORK
27298564	REPLACE EXISTING SEARCH IN CERT DEF FLOW RESULTING CERT IS NOT GETTING GENERATED
27300245	OIM-OAM-OID: USER SESSION IS NOT TERMINATED WHEN IT IS DELETED BY ADMIN
27313843	12C BP01: USER SESSION IS NOT TERMINATED WHEN IT IS LOCKED OR DISABLED BY ADMIN

Known Issues and Workarounds

Known issues and their workarounds in Oracle Identity Governance Release 12.2.1.3 are described in the Oracle Identity Governance chapter of the *Release Notes for Oracle Identity Management* document. You can access the Release Notes document in the Oracle Identity Management Documentation library at the following URL:

https://docs.oracle.com/middleware/12213/idmsuite/IDMRN/toc.htm



Note:

Some known issues listed in the Release Notes for Oracle Identity Management may have been resolved by this Bundle Patch (Oracle Identity Governance Release 12.2.1.3.190624). Compare the issues listed in Resolved Issues of this document when reviewing the Release Notes for Oracle Identity Management.

This section describes the issues and workarounds in this BP release of Oracle Identity Governance:

- LDAP User Create and Update Reconciliation Job Fails in Integrated and Upgraded Environment
- IT Resource Password is Updated as Null
- Recommendations for Upgrade
- Oracle Identity Governance Server URL is Inaccessible After Rollback
- Role Hierarchy Tab Shows Only 301 Roles
- Customizing the Fetch Size in Add Members Tab of Roles Page Results in Search Issue
- Manual Update of Refreshing Materialized View Fails
- Identity Self Service and Identity System Administration are Inaccessible After Upgrading OPatch Version

LDAP User Create and Update Reconciliation Job Fails in Integrated and Upgraded Environment

Issue

Impacted Releases: 12c Release (12.2.1.3.0)

When Oracle Identity Governance Release 11.1.2.3 deployment is integrated with Oracle Access Management, libOVD, and Oracle Unified Directory, and upgraded to Release 12c (12.2.1.3.0), the LDAP User Create and Update Reconciliation scheduled job run fails with the following error when a new user is created and its status is set to locked in the system:

```
[2017-06-05T23:39:53.833-07:00] [oim_server1] [ERROR] [] [oracle.iam.ldapsync.scheduletasks.user] [tid: OIMQuartzScheduler_Worker-8] [userId: oiminternal] [ecid: b2fc7981-724e-474c-b009-8a5e2d915d52-000008e9,0] [APP: oim] [partition-name: DOMAIN] [tenant-name: GLOBAL] An error occurred while processing the data that is retrieved from LDAP to create a reconciliation event.[[ oracle.iam.ldapsync.exception.ReconEventCreationException: Thor.API.Exceptions.tcAPIException: Exception occurred while inserting data into table RA_LDAPUSER due to java.sql.SQLException: execute, Exception = null
```



at. oracle.iam.ldapsync.scheduletasks.user.LDAPUserChangesReconTask.createUserReco nciliationEvent(LDAPUserChangesReconTask.java:435) oracle.iam.ldapsync.scheduletasks.user.LDAPUserChangesReconTask.processResult(LDAPUserChangesReconTask.java:179) oracle.iam.ldapsync.scheduletasks.user.LDAPUserChangesReconTask.execute(LDAPUs erChangesReconTask.java:132) . . . Caused by: Thor.API.Exceptions.tcAPIException: Exception occurred while inserting data into table RA_LDAPUSER due to java.sql.SQLException: execute, Exception = nullat. oracle.iam.reconciliation.impl.ReconOperationsServiceImpl.createReconciliation Event(ReconOperationsServiceImpl.java:431) oracle.iam.reconciliation.impl.ReconOperationsServiceImpl.createReconciliation Event(ReconOperationsServiceImpl.java:418) Caused by: oracle.iam.reconciliation.exception.ReconciliationException: Exception occurred while inserting data into table RA LDAPUSER due to java.sql.SQLException: execute, Exception = null oracle.iam.reconciliation.impl.ReconOperationsServiceImpl\$1.process(ReconOpera tionsServiceImpl.java:489) oracle.iam.reconciliation.impl.ReconOperationsServiceImpl\$1.process(ReconOpera tionsServiceImpl.java:467) oracle.iam.platform.tx.OIMTransactionCallback.doInTransaction(OIMTransactionCa llback.java:13) oracle.iam.platform.tx.OIMTransactionCallback.doInTransaction(OIMTransactionCa llback.java:6) at. org.springframework.transaction.support.TransactionTemplate.execute(Transactio nTemplate.java:130) oracle.iam.platform.tx.OIMTransactionManager.executeTransaction(OIMTransaction Manager.java:47) at. oracle.iam.reconciliation.impl.ReconOperationsServiceImpl.reconEvent(ReconOper ationsServiceImpl.java:467) oracle.iam.reconciliation.impl.ReconOperationsServiceImpl.createReconciliation Event(ReconOperationsServiceImpl.java:406) oracle.iam.reconciliation.impl.ReconOperationsServiceImpl.createReconciliation Event(ReconOperationsServiceImpl.java:429) ... 44 more Caused by: oracle.iam.platform.utils.SuperRuntimeException: java.sql.SQLException: execute, Exception = null oracle.iam.reconciliation.dao.event.EventMgmtDao.create(EventMgmtDao.java:244)

oracle.iam.reconciliation.impl.ReconOperationsServiceImpl\$1.process(ReconOpera

```
tionsServiceImpl.java:478)
                        ... 52 more
Caused by: java.sql.SQLException: execute, Exception = null
weblogic.jdbc.wrapper.JDBCWrapperImpl.invocationExceptionHandler(JDBCWrapperIm
pl.java:143)
weblogic.jdbc.wrapper.Statement.invocationExceptionHandler(Statement.java:142)
weblogic.jdbc.wrapper.PreparedStatement.invocationExceptionHandler(PreparedSta
tement.java:100)
weblogic.jdbc.wrapper.PreparedStatement.execute(PreparedStatement.java:125)
oracle.iam.reconciliation.dao.event.EventMgmtDao.create(EventMgmtDao.java:234)
                          ... 53 more
Caused by: java.lang.NullPointerException
oracle.jdbc.driver.OracleSql.setNamedParameters(OracleSql.java:174)
oracle.jdbc.driver.OracleCallableStatement.execute(OracleCallableStatement.jav
a:4229)
oracle.jdbc.driver.OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OraclePreparedStatementWrapper.execute(OracleOraclePreparedStatementWrapper.execute(OracleOracleOracleOracleOracleOracleOracleOracleOracleOracleOracleOra
entWrapper.java:1080)
weblogic.jdbc.wrapper.PreparedStatement.execute(PreparedStatement.java:119)
```

Workaround

As a workaround to this issue, before running the LDAP User Create and Update Reconciliation scheduled job:

1. Login to My Oracle Support website at:

https://support.oracle.com

- 2. Search and download JDBC patch p26400304 122130 Generic.zip.
- 3. Apply the JDBC patch.
- 4. Run the LDAP User Create and Update Reconciliation scheduled job.

IT Resource Password is Updated as Null

Issue

Impacted Releases: 12c Release (12.2.1.3.0)

When Oracle Identity Governance is upgraded from Release 11g (11.1.2.3.0) to Release 12c (12.2.1.3.0), password of IT resources like Directory Server, Email



Provider Definition - UMS, and OIA-ITRes are updated in Credential Store (CSF) as Null. This causes LDAP operations associated with these IT resources to fail.

Workaround

After upgrade, bring OIG Server up and immediately reset password for these IT resources types, Directory Server, Email Provider Definition - UMS, and OIA-ITRes.

To reset the IT resources password:

- 1. Login to Oracle Identity System Administration.
- 2. Locate the IT Resource for which you want to reset the password.
- **3.** For Directory Server edit the **Admin Password** parameter value and for Email Provider Definition UMS and OIA-ITRes edit the **Password** parameter value.

For detailed steps on how to search and modify IT Resources parameters, see Managing IT Resources in Administering Oracle Identity Governance.

Recommendations for Upgrade

Few upgrade bugs are resolved in this bundle patch release, 27113693, 27119830, 27145500, and 27168000. See Resolved Issues in Release 12.2.1.3.180413.

Pre-upgrade report will be generated if any of the issue stated in above bugs exists in a Oracle Identity Manager 11gR2PS3 setup prior to upgrading it to Oracle Identity Governance 12.2.1.3.0 version. For automated fix of these upgrade bugs, please apply the Bundle Patch Release 12.2.1.3.180413 binaries on top of Oracle Identity Governance 12.2.1.3.0 binaries and then proceed with Oracle Identity Governance 12.2.1.3.0 upgrade process. Steps for manual fix are present in pre-upgrade reports.

Oracle Identity Governance Server URL is Inaccessible After Rollback

Issue

Impacted Releases: 12c Release (12.2.1.3.0)

When Oracle Identity Governance Bundle Patch is rolled back, the previous version of Oracle Identity Governance is restored. When you try to access the OIG Server URL it is inaccessible as the /db/oim-config.xml file is overwritten.

Workaround

Workaround for this problem is to restore the base version of the <code>/db/oim-config.xml</code> file. For example, if you want to rollback Oracle Identity Governance Bundle Patch 12.2.1.3.180111, then before rollback, import the Oracle Identity Governance 12.2.1.3.0 base version <code>/db/oim-config.xml</code> file from the backup created before



applying the Oracle Identity Governance Bundle Patch 12.2.1.3.180111. Then rollback the bundle patch.

Role Hierarchy Tab Shows Only 301 Roles

Issue

Impacted Releases: 12c Release (12.2.1.3.180713)

In the Role Hierarchy page, the Define Role Hierarchies panel shows only 301 roles.

Customizing the Fetch Size in Add Members Tab of Roles Page Results in Search Issue

Issue

Impacted Releases: 12c Release (12.2.1.3.190109)

When customizing the Add Members tab in Roles page, if the Fetch Size field is modified and the fetch size range is set to more than 25, then the search operation does not function as expected.

Workaround

To workaround this issue, make sure to set the fetch size value below 25.

Refresh Materialized View Scheduled Job Fails

Issue

Impacted Releases: 12c Release (12.2.1.3.190109)

When you run the Refresh Materialized View scheduled job manually by following steps in My Oracle Support document ID 2383245.1, the process fails.

Workaround

To workaround this issue, execute the below steps:

- Download the patch.
- 2. Unzip the patch
 to <patchid>/files/oracle.oim.server/12.2.1.3.0/oracle.oim.symbol/
 server/db/oim/oracle/Upgrade/oim12cps3/list/Eval trigger.sql
- 3. Login into OIM DB.
- 4. Execute the sql Eval_trigger.sql



5. Restart the OIM Server.

Identity Self Service and Identity System Administration are Inaccessible After Upgrading OPatch Version

After upgrading the OPatch version from 13.9.2.0.0 to 13.9.4.0.0, Identity Self Service and Identity System Administration cannot be accessed because of a mismatch in the versions of the com.oracle.cie.com*.jar file.

For more information about this issue and a workaround, see Tech Note *OIM 12c: OIM Consoles Do Not Come Up After Upgrading OPatch Version From 13.9.2.0.0* to 13.9.4.0.0 Due to com.oracle.cie.com*.jar (Doc ID 2535244.1) at the My Oracle Support web site at:

https://support.oracle.com

Related Documents

For more information, see the following resources:

- Oracle Fusion Middleware Documentation
 This contains documentation for all Oracle Fusion Middleware 12c products.
- Oracle Technology Network

This site contains additional documentation that is not included as part of the documentation libraries.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

Oracle® Fusion Middleware Oracle Identity Governance Bundle Patch Readme, 12c (12.2.1.3.190624) F19147-03

Copyright @ 2019, 2019, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.



The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software occumentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs, ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Groun

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

